



power load

Quote Number: 10026033
Version: 1
Prepared For: MARSHALL COUNTY AMBULANCE SERVICE

Remit to: P.O. Box 93308
Chicago, IL 60673-3308
Rep: Clark Sewell
Email: clark.w.sewell@stryker.com
Phone Number:

Quote Date: 08/08/2019
Expiration Date: 11/06/2019

End User - Shipping - Billing

Name: MARSHALL COUNTY
AMBULANCE SERVICE

Account #: 1284284

Address: 505 GEORGE MCCLAIN DR
BENTON
Kentucky 42025

Ship To Account

Name: MARSHALL COUNTY
AMBULANCE SERVICE

Account #: 1284284

Address: 505 GEORGE MCCLAIN DR
BENTON
Kentucky 42025

Bill To Account

Name: MARSHALL COUNTY
AMBULANCE SERVICE

Account #: 1198366

Address: PO BOX 533
BENTON
Kentucky 42025

Equipment Products:

#	Product	Description	Qty	Sell Price
2.0	639005550001	MTS POWER LOAD	1	\$22,941.63
3.0	6500700066	6500 PWR/PERF-LOAD UPGRD KIT	1	\$3,013.80
Equipment Total:				\$25,955.43

ProCare Products:

#	Product	Description	Qty	Sell Price	Total
1.0	77100003	Cot Upgrade or Install	1	\$310.00	\$310.00
ProCare Total:					\$310.00

Price Totals:

Grand Total: \$26,265.43

Prices: In effect for 60 days.

Terms: Net 30 Days

Ask your Stryker Sales Rep about our flexible financing options.



power load

Quote Number: 10026033

Version: 1

Prepared For: MARSHALL COUNTY AMBULANCE SERVICE

Quote Date: 08/08/2019

Expiration Date: 11/06/2019

Remit to: P.O. Box 93308

Chicago, IL 60673-3308

Rep: Clark Sewell

Email: clark.w.sewell@stryker.com

Phone Number:

AUTHORIZED CUSTOMER SIGNATURE

PROCARESM PRODUCT SERVICE PLAN AGREEMENT and TERMS AND CONDITIONS

This document sets forth the entire Product Service Plan Agreement ("Agreement") between **Stryker Medical (a division of Stryker Corporation)**, herein and after referred to as "**Stryker**", and _____, herein and after referred to as the "**Customer**." This is the entire Agreement and no other oral modifications are valid. This Agreement shall remain in effect unless canceled or modified by either party according to the following terms and conditions.

1. SERVICE COVERAGE AND TERM

Stryker shall provide to Customer the services (the "Services") as defined on Page 1 of the Stryker Quote as the equipment *ProCare Program* (hereinafter each, a "Service Plan"). The equipment covered under said Service Plan is set forth on Exhibit A to the Quote (the "Equipment"). The Services and Service Plan are ancillary to and not a complete substitute for the requirements of Customer to adhere to the routine maintenance instructions provided by Stryker, its equipment and operations manuals, and accompanying labels and/or inserts for the Equipment. Customer covenants and agrees that its personnel will follow the instructions and contents of those manuals, labels and inserts. When Equipment or a component is replaced, the item provided in replacement will be the Customer's property (if Customer owns the Equipment) and the replaced item will be Stryker's property. Stryker may elect to use new or used parts related to the Services in its sole discretion. The Service Plan coverage, term, start date, and price of the Services appear on the Service Plan.

2. EQUIPMENT SCHEDULE CHANGES

During the term of the Agreement and upon each party's written consent, additional Equipment may be included in the Exhibit A. All additions are subject to the terms and conditions contained herein. Stryker shall adjust the charges and modify Exhibit A to reflect the additions.

3. INSPECTION SCHEDULING

Service inspections will be scheduled in advance at a mutually agreed upon time for such period of time as is reasonably necessary to complete the Services. Equipment not made available at the specified time will be serviced at the next scheduled service inspection unless specific arrangements are made with Stryker. Such arrangements will include travel and other special charges at Stryker's then current rates.

4. INSPECTION ACTIVITY

On each scheduled service inspection, Stryker's Service Representative will inspect each available item of Equipment as required in accordance with Stryker's then current Maintenance procedures for said Equipment. If there is any discrepancy or questions on the number of inspections, price, or Equipment, Stryker may amend this Agreement.

5. CUSTOMER OBLIGATIONS

Customer shall use commercially reasonable efforts to cooperate with Stryker in connection with Stryker's performance of the Services. Customer understands and acknowledges that Stryker employees will not provide surgical or medical advice, will not practice surgery or medicine, will not come in physical contact with the patient, will not enter the "sterile field" at any time, and will not direct equipment or instruments that come in contact with the patient during surgery. Customer's personnel will refrain from requesting Stryker employees to take any actions in violation of these requirements or in violation of applicable laws, rules or regulations, Customer policies, or the patient's informed consent. A refusal by Stryker employees to engage in such activities shall not be a breach of this Agreement. Customer consents to the presence of Stryker employees in its operating rooms, where applicable, in order for Stryker to provide Services under this Agreement and represents that it will obtain all necessary consents from patients.

6. SERVICE INVOICING

Invoices will be sent on the agreed payment method. All prices are exclusive of state and local use, sales or similar taxes. In states assessing upfront sales and use tax, Customer's payments will be adjusted to include all applicable sales and use tax amortized over the Service Plan term using a rate that preserves for Stryker, its affiliates and /or assigns, the intended economic yield for the transaction described in this Agreement. All invoices issued under this Agreement are to be paid within thirty (30) days of the date of the invoice. Failure to comply with Net 30 Day terms will constitute breach of contract and future Service will only be made on a prepaid or COD basis, or until the previous obligation is satisfied, or both. Stryker reserves the right, with

no liability to Stryker, to cancel any contract on the basis of payment default for any previous equipment or service provided by Stryker or any of its affiliates.

7. PRICE CHANGES

The Service prices specified herein are those in effect as of the date of acceptance of this Agreement and will continue in effect throughout the term of the Service Plan.

8. INITIAL INSPECTION

This Agreement shall be applicable only to such Equipment as listed in Exhibit A, which has been determined by a Stryker's Representative to be in good operating condition upon his/her initial inspection thereof.

9. OPERATION MAINTENANCE

Stryker's Services are ancillary to and not a complete substitute for the requirements of Customer to adhere to the routine maintenance instructions provided by Stryker, its Equipment and operations manuals, and accompanying labels and/or inserts for each item of Equipment. Customer's appropriate user personnel should be entirely familiar with the instructions and contents of those manuals, labels and inserts and implement them accordingly.

10. SERVICE PLAN WARRANTY AND LIMITATIONS

Stryker represents and warrants that the Services shall be performed in a workmanlike manner and with professional diligence and skill. Services will comply with all applicable laws and regulations. During the term of the Service Plan, Stryker will maintain the Equipment in good working condition. Notwithstanding any other provision of this Agreement, the Service Plan does not include repairs or other services made necessary by or related to, the following: (1) abnormal wear or damage caused by misuse or by failure to perform normal and routine maintenance as set out in the Stryker maintenance manual or operating instructions. (2) accidents (3) catastrophe (4) acts of god (5) any malfunction resulting from faulty maintenance, improper repair, damage and/or alteration by non-Stryker authorized personnel (6) Equipment on which any original serial numbers or other identification marks have been removed or destroyed; or (7) Equipment that has been repaired with any unauthorized or non-Stryker components. In addition, in order to ensure safe operation of the Equipment, only Stryker accessories should be used. Stryker reserves the right to invalidate the Service Plan if Equipment is used with accessories not manufactured by Stryker.

TO THE FULLEST EXTENT PERMITTED BY LAW, THE EXPRESS WARRANTIES SET FORTH IN THIS SECTION ARE THE ONLY WARRANTIES APPLICABLE TO THE SERVICES AND ARE EXPRESSLY IN LIEU OF ANY OTHER WARRANTY BY STRYKER, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT OR FITNESS FOR A PARTICULAR PURPOSE.

11. WAIVER EXCLUSIONS

No failure to exercise and no delay by Stryker in exercising any right, power or privilege hereunder shall operate as a waiver thereof. No waiver of any breach of any provision by Stryker shall be deemed to be a waiver by Stryker of any preceding or succeeding breach of the same or any other provision. No extension of time by Stryker for performance of any obligations or other acts hereunder or under any other Agreement shall be deemed to be an extension of time for performances of any other obligations or any other acts by Stryker.

12. LIMITATION OF LIABILITY

EXCEPT FOR THIRD PARTY DAMAGES RELATED TO STRYKER'S INDEMNITY OBLIGATIONS UNDER SECTION 13, STRYKER'S LIABILITY ARISING UNDER THIS AGREEMENT WILL NOT EXCEED THE AMOUNT OF SERVICE FEES PAID DURING THE TWELVE (12) MONTH PERIOD IMMEDIATELY PRECEDING THE DATE THE CLAIM AROSE. IN NO INSTANCE WILL STRYKER BE LIABLE TO CUSTOMER FOR INCIDENTAL, PUNITIVE, SPECIAL, COVER, EXEMPLARY, MULTIPLIED OR CONSEQUENTIAL DAMAGES OR ATTORNEYS' FEES OR COSTS FOR ANY ACTIONS UNDER OR RELATED TO THIS AGREEMENT.

13. INDEMNIFICATION

Stryker shall indemnify and hold harmless Customer from any loss or damage brought by a third party which Customer may suffer directly as a result of the gross negligence or willful misconduct of Stryker or its employees or agents in the course of providing Services. The foregoing indemnification will not apply to any liability arising from: (i) an injury or damage due to the negligence of any person other than Stryker's employee or agent; (ii) the failure of any person other than Stryker's employee or agent to follow any instructions outlined in the labeling, manual, and/or instructions for use of the Equipment; (iii) the use of any equipment or part not purchased from Stryker or any equipment or any part thereof that has been modified, altered or repaired by any person other than Stryker's employee or agent; or (iv) any actions taken or omissions made by any Stryker employee while under the direction or control of Customer's staff. Customer agrees to hold Stryker harmless from and indemnify Stryker for any claims or losses or injuries arising from (i)-(iv) above resulting from Customer's or its employees' or

agents' actions.

14. TERM AND TERMINATION

The Agreement shall commence on the date indicated on the first Service Plan entered into between the parties and shall continue until Stryker ceases to provide Services or the Agreement is canceled by either party by giving a ninety (90) days prior written notice of any such cancellation to the other party. If this Agreement is canceled during or before the expiration date of the Agreement, Customer will owe for the months covered up to the cancellation date of the Agreement and for any parts, labor, and travel charges, required to maintain Equipment, exceeding that already paid during the Agreement.

15. FORCE MAJEURE

Except for Customer's payment obligations, which may only be delayed and not excused entirely, neither party to this Agreement will be liable for any delay or failure of performance that is the result of any happening or event that could not reasonably have been avoided or that is otherwise beyond its control, provided that the party hindered or delayed immediately notifies the other party describing the circumstances causing delay. Such happenings or events will include, but not be limited to, terrorism, acts of war, riots, civil disorder, rebellions, fire, flood, earthquake, explosion, action of the elements, acts of God, inability to obtain or shortage of material, equipment or transportation, governmental orders, restrictions, priorities or rationing, accidents and strikes, lockouts or other labor trouble or shortage.

16. INSURANCE REQUIREMENTS

Stryker shall maintain the following insurance coverage during the term of the Agreement: (i) commercial general liability coverage, including coverage for products and completed operations liability, with minimum limits of \$1,000,000.00 per occurrence and \$2,000,000.00 annual aggregate applying to bodily injury, personal injury, and property damage; (ii) automobile liability insurance with combined single limits of \$1,000,000.00 for owned, hired, and non-owned vehicles; and (iii) worker's compensation insurance as required by applicable law. At Customer's written request, certificates of insurance shall be provided by Stryker prior to commencement of the Services at any premises owned or operated by Customer. To the extent permitted by applicable laws and regulations, Stryker shall be permitted to meet the above requirements through a program of self-insurance.

17. WARRANTY OF NON-EXCLUSION

Each party represents and warrants that as of the Effective Date, neither it nor any of its employees, are or have been excluded, terminated, suspended, or debarred from a federal or state health care program or from participation in any federal or state procurement or non-procurement programs. Each party further represents that no final adverse action by the federal or state government has occurred or is pending or threatened against the party, its affiliates, or, to its knowledge, against any employee, Stryker, or agent engaged to provide Services under this Agreement. Each party also represents that if during the term of this Agreement it, or any of its employees becomes so excluded, terminated, suspended, or debarred from a federal or state health care program or from participation in any federal or state procurement or non-procurement programs, such will promptly notify the other party. Each party retains the right to terminate or modify this Agreement in the event of the other party's exclusion from a federal or state health care program.

18. COMPLIANCE

Stryker, as supplier, hereby informs Customer, as buyer, of Customer's obligation to make all reports and disclosures required by law or contract, including without limitation properly reporting and appropriately reflecting actual prices paid for each item supplied hereunder net of any discount (including rebates and credits, if any) applicable to such item on Customer's Medicare cost reports, and as otherwise required under the Federal Medicare and Medicaid Anti-Kickback Statute and the regulations thereunder (42 CFR Part 1001.952(h)). Pricing under this Agreement (and each Service Plan) may constitute discounts on the purchase of Services. Customer represents that (i) it shall make all required cost reports, and (ii) it has the corporate power and authority to make or cause such cost reports to be made. To the extent required by law, Customer and Stryker agree to comply with the Omnibus Reconciliation Act of 1980 (P.L. 96Z499) and its implementing regulations (42 CFR, Part 420). To the extent applicable to the activities of Stryker hereunder, Stryker further specifically agrees that until the expiration of four (4) years after furnishing Services pursuant to this Agreement, Stryker shall make available, upon written request of the Secretary of the Department of Health and Human Services, or upon request of the Comptroller General, or any of their duly authorized representatives, this Agreement and the books, documents and records of Stryker that are necessary to verify the nature and extent of the costs charged to Customer hereunder. Stryker further agrees that if Stryker carries out any of the duties of this Agreement through a subcontract with a value or cost of ten thousand dollars (\$10,000) or more over a twelve (12) month period, with a related organization, such subcontract shall contain a clause to the effect that until the expiration of four (4) years after the furnishing of such services pursuant to such subcontract, the related organization shall make available, upon written request to the Secretary, or upon request to the Comptroller General, or any of their duly authorized representatives the

subcontract, and books and documents and records of such organization that are necessary to verify the nature and extent of such costs.

19. CONFIDENTIALITY

The parties hereto shall hold in confidence this Agreement and the terms and conditions contained herein (including Services Plan pricing) and any information and materials which are related to the business of the other or are designated as proprietary or confidential, herein or otherwise, or which a reasonable person would consider to be proprietary or confidential information; and (b) hereby covenant that they shall not disclose such information to any third party without prior written authorization of the one to whom such information relates. The rights and remedies available to a party hereunder shall not limit or preclude any other available equitable or legal remedies.

20. HIPAA

Stryker is not a "business associate" of Customer, as the term "business associate" is defined by HIPAA (the Health Insurance Portability and Accountability Act of 1996 and 45 C.F.R. parts 142 and 160-164, as amended). To the extent the parties mutually agree that Stryker becomes a business associate of Customer, the parties agree to negotiate to amend the Service Plan or this Agreement as necessary to comply with HIPAA, and if an agreement cannot be reached the applicable Service Plan will immediately terminate. All medical information and/or data concerning specific patients (including, but not limited to, the identity of the patients), derived incidentally during the course of this Agreement, shall be treated by both parties as confidential, and shall not be released, disclosed, or published to any party other than as required or permitted under applicable laws. Notwithstanding the foregoing, Stryker may be considered a "business associate" of Customers related to any Service Plan for wireless products and/or other designated business associate services. If Stryker is considered a "business associate" of Customer, Stryker will agree to enter into a business associate agreement with Customer as required by HIPAA.

21. MISCELLANEOUS

Neither party may assign or transfer their rights and/or benefits under this Agreement without the prior written consent of the other party, except that Stryker shall have the right to assign this Agreement or any rights under or interests in this Agreement to any parent, subsidiary or affiliate of Stryker. All of the terms and provisions of this Agreement shall be binding upon, shall inure to the benefit of, and be enforceable by permitted successors and assigns of the parties to this Agreement. This Agreement shall be construed and interpreted in accordance with the laws of the State of Michigan. The invalidity, in whole or in part, of any of the foregoing paragraphs, where determined to be illegal, invalid, or unenforceable by a court or authority of competent jurisdiction, will not affect or impair the enforceability of the remainder of the Agreement. This Agreement constitutes the entire agreement between the parties concerning the subject matter of this Agreement and supersedes all prior negotiations and agreements between the parties concerning the subject matter of this Agreement. In the event of an inconsistency or conflict between this Agreement and any purchase order, invoice, or similar document, this Agreement will control. Any inconsistency or conflict between the terms of this Agreement and a Service Plan shall be resolved in favor of the Service Plan. The sections entitled Limitation of Liability, Indemnification, Compliance, Confidentiality and Miscellaneous of this Agreement shall survive its termination or expiration.

Deal Consummation: This is a quote and not a commitment. This quote is subject to final credit, pricing, and documentation approval. Legal documentation must be signed before your equipment can be delivered. Documentation will be provided upon completion of our review process and your selection of a payment schedule.

Confidentiality Notice: Recipient will not disclose to any third party the terms of this quote or any other information, including any pricing or discounts, offered to be provided by Stryker to Recipient in connection with this quote, without Stryker's prior written approval, except as may be requested by law or by lawful order of any applicable government agency.

Terms: Net 30 days. FOB origin. A copy of Stryker Medical's standard terms and conditions can be obtained by calling Stryker Medical's Customer Service at 1-800-Stryker.

In the event of any conflict between Stryker Medical's Standard Terms and Conditions and any other terms and conditions, as may be included in any purchase order or purchase contract, Stryker's terms and conditions shall govern.

Cancellation and Return Policy: In the event of damaged or defective shipments, please notify Stryker within 30 days and we will remedy the situation. Cancellation of orders must be received 30 days prior to the agreed upon delivery date. If the order is cancelled within the 30 day window, a fee of 25% of the total purchase order price and return shipping charges will apply.

MARSHALL COUNTY EMS

BENTON, KY

REMOUNT AMBULANCE SPECIFICATION

**EMERGENCY MEDICAL VEHICLE
TYPE I Class II (4X2) DRW**

TYPE I REMOUNT

**DESIGNED TO MEET OR EXCEED
CAAS GVS 2.0 Remount Standards**

It is the intent of these specifications, and all requirements listed herein, to obtain bids on vehicles to meet the local needs of Marshall County, and to obtain bids that may be easily, and completely evaluated on an equal and competitive basis.

Because of the wide variances in types, configurations, options and models available in the industry, the purpose of these specifications is to set a standard by which all proposals received may be evaluated, studied and compared equitably. Vendors are required to return one (1) copy of these specifications, correctly and completely furnishing all information requested and answering all questions attached. Any requested data literature, drawings, etc. and detailed written lists of exceptions taken must also be enclosed.

Since bids from a number of suppliers are anticipated, and Marshall County cannot be expected to be familiar with all various technical details of all vendor's products, the only adequate method of evaluation will be to compare in this format. Vendors are cautioned that failure to submit proposals in format specified herein, will be grounds to reject vendors proposal and remove bid from consideration.

Any questions for clarifications, etc. should be directed in writing to the above, and responses will be furnished in writing to all prospective vendors.

Considerable time and effort has been invested to design these specifications to the specific needs of Marshall County EMS. **Therefore, alternate bids will not be considered. No Exceptions to this will be allowed.**

It is further understood that the vehicle described is for use in the provision of emergency services.

BUY AMERICAN

It is the intent of these specifications and requirements listed herein to obtain proposals on

vehicles to meet the local needs of the Purchaser that may be easily and completely evaluated on an equal basis. In accordance with "Buy America" programs, proposals will be accepted only from manufacturers that are only 100% wholly owned, financed, and operated by USA based firms.

LEGAL RIGHT TO SPECIFY

The Purchaser chooses to exercise its Legal Right to Specify as determined by the U.S. Supreme Court's affirmation of the decision handed down in the case of Whitten Corp. Vs Paddock by the U.S. District Court of Massachusetts, the First Federal District Court:

- 1) That as trained professionals, the Purchaser makes informed judgments on products that they feel best serve their needs. Technically, very few brands of material or equipment are exactly alike, and if the specifier wants to limit the specification to one source he has the right to do so and enforce it.
- 2) Only the specifier has the responsibility and judgment for determining whether a proposed substitution is an "or equal".
- 3) That from start to finish in the purchasing process only the specifier can ultimately decide if another desirable product is available in lieu of the specification.
- 4) Finally, that the courts concluded "the burden is on the supplier or manufacturer, who has NOT been specified, to convince the specifier that their product is equal for the purpose of a particular project".

The specifier has determined that this product specification shall represent the product to which all offerings shall be compared. Due to the fact that emergency response duties are ULTRAHAZARDOUS, UNAVOIDABLY DANGEROUS activities, only trained personnel with specific knowledge in the area of Emergency Service Equipment shall be allowed to make the final decision on the selection of the appropriate product to best serve Dougherty County.

REMOUNT SPECIFICATIONS EMERGENCY MEDICAL CARE VEHICLE

1.0 Scope, Purpose and Classification

1.1 Scope: This specification covers the remounting and refurbishment of a commercially produced, surface medical care vehicle, hereinafter referred to as ambulance or vehicle. A vehicle in compliance with this specification shall be defined

as a standard ambulance. This vehicle shall be in accordance with the Ambulance Design Criteria of the National Highway Traffic Administration, U.S. Department of Transportation, Washington D.C. This bid specification is based on the CAAS GVS 2.0 Standards.

1.2 Purpose: The purpose of this document is to provide minimum specifications and test parameters for the remounting and refurbishment of an emergency medical care vehicle that meets the needs and desires of this agency. It establishes essential criteria for the design, performance, equipment and appearance of the vehicle. The object is to provide a vehicle that is in accordance with nationally recognized guidelines. It is the intent to return the unit to a new or like new condition per the specification.

1.3 Classifications: This specification calls for the following type of vehicle. It is in accordance with CAAS GVS 2.0:
Type I – Commercial Cutaway Chassis with modular ambulance body.
Class 2 - Two rear wheel driven (4x2)
Configuration A (ALS) - Elevating cot and squad bench (3.1.5.1)

1.4 General: This is an engineer, design, construct and deliver type specification and it is not the intention of this agency to write out vendors of similar or equal equipment of the types specified. It should be noted, however, that this specification is written around specific needs of this agency. With the intent to standardize certain components, therefore, in numerous places we have named specific brands of components. This has been done to establish a certain standard of quality. Other brands will only be accepted providing the vendor provides documentation in the bid that the particular brand offered meets or exceeds the quality of the actual brand called for in the specification.

1.5 Materials: The emergency medical care vehicle, chassis, ambulance body, equipment, devices, medical accessories and electronic equipment to be delivered under this contract shall be standard commercial products, which meet or exceed the requirements of this specification. The ambulance shall comply with all Federal Motor Vehicle Safety Standards (FMVSS), the Federal regulations applicable or specified for the year of manufacture. The chassis, components and optional items shall be as represented in the manufacturer's current technical data. Materials used in the construction shall be new and not less than the quality conforming to current engineering and manufacturing practices. Materials shall be free of defects and suitable for service intended.

1.6 Manufacturing Ability: It is the intent of these specifications that the Remounter of these vehicles has the ability to remount and refurbish a complete ambulance within their plant facility, except for the chassis. The Ambulance Remounter must have significant experience in the remounting and refurbishment of modular ambulance bodies and performed a minimum of 250 remounts. In addition, the Bidder/ manufacturer must include with this bid, proof of \$5,000,000.00 product liability coverage as well as Garage Keeper's liability Insurance. NO EXCEPTIONS.

1.7 Exceptions to Specifications: Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and be explained in detail on a separate sheet marked "Exceptions". Any bidder not complying shall not be considered as responsive.

1.8 Prices and Payments: All bid prices shall be complete and include warranty and delivery of the completed vehicle to this agency.

Payment shall be made in accordance with these specifications and the Bid Proposal submitted by the Bidder. Payment will be made upon acceptance of the vehicle(s) and equipment specified under these specifications.

All bid prices and conditions must be specified on the Bid Proposal Form. Bid prices shall be valid for at least 30 days from the date of the Bid Opening, or as otherwise specified on the Bid Proposal form.

Full payment will be made as each unit is received, inspected and found to comply with procurement specifications, free of damage and properly invoiced.

Successful vendor shall, at delivery, supply MARSHALL COUNTY EMS with MSO's.

Does your bid comply EXACTLY as written? Yes _____ No _____

1.9 Warranty: The successful bidder shall provide remounter's warranty coverage for the ambulance or rescue vehicle conversion, which coverage shall, at a minimum include:

(A) A Limited Warranty shall be provided on the ambulance remount conversion. The remounter shall warrant to the original retail purchaser that, for a period of thirty six (36) months or thirty-six thousand (36,000) miles from the point of delivery,

whichever first occurs, the ambulance remount shall be free of substantial defects in remount materials and remount workmanship, which are attributable to Warrantor remount work and which arise during the course of normal use and service. **There shall be a copy of the Warranty statement included with the bid documents. NO EXCEPTIONS.**

Does your bid comply EXACTLY as written? Yes _____ No _____

(B) There shall be a three (3) year / 36,000 mile warranty on the Ambulance Remount electrical wiring system effective starting the date this agency accepts delivery of the completed vehicle. It is the intent of this requirement that items not manufactured or installed by the ambulance remounter be excluded. **There shall be a copy of the Warranty statement included as part of the bid documents. NO EXCEPTIONS.**

Does your bid comply EXACTLY as written? Yes _____ No _____

(C) There shall be a three (3) year / 36,000 mileage paint warranty covering the ambulance conversion and any painting done to the chassis. **There shall be a copy of the Warranty statement included with the bid. NO EXCEPTIONS.**

Does your bid comply EXACTLY as written? Yes _____ No _____

(D) Warranty on the chassis portion of the completed ambulance or rescue vehicle shall be the responsibility of the chassis manufacturer, Ford Motor Company. The terms of such warranty are set forth in the Ford Warranty literature included in the owner's manual. The successful manufacturer's sole responsibility with regard to the chassis shall be to provide reasonable assistance to the purchaser in obtaining warranty from the chassis manufacturer or its authorized service center. Bidders failing to meet these requirements shall be considered non-responsive.

1.10 Anti-Collusion Statement: By executing and submitting this bid, the Bidder certifies that his Bid is made without reference to any other bid and without any agreement, understanding, collusion or combination with any other person in reference to such bidding.

1.11 Ambulance Bids and Alternate Bids: Considerable time and effort has been invested to design these specifications to the specific needs of MARSHALL COUNTY EMS. Therefore, alternate bids not exactly to spec will not be considered.

1.12 Warranty Surety:

To ensure quality, service, and full compliance to the above warranties the vehicle, with the exception of the chassis, must be constructed by the ambulance manufacturer. Additional elements constructed and installed "in house" are required to ensure service and parts availability. Subcontractors or lease/rental agreements to outside agencies will fail to meet this requirement. NO EXCEPTIONS WILL BE ALLOWED.

- Does the ambulance manufacturer as the prime contractor remount the modular body?

Does your bid comply EXACTLY as written? Yes _____ No _____

- Does the ambulance manufacturer as the prime contractor apply paint?

Does your bid comply EXACTLY as written? Yes _____ No _____

- Are interior cabinets constructed and installed by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes _____ No _____

- Are the wiring harnesses, circuit boards, and O2 systems tested by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes _____ No _____

- Is the upholstery for seat cushions, head pads, and backrests assembled and installed by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes _____ No _____

1.13 Delivery:

Since delivery proposals by the bidder will weigh heavily in the determination of the bid award, the delivery schedules that are submitted by the bidders shall automatically become binding upon the successful bidder. Delivery delays due to component supply problems or chassis delivery problems to the manufacturer shall not penalize either the dealer or the manufacturer. Delivery must be within one hundred eighty (180) days from receipt of the vehicle chassis. ABSOLUTELY NO EXCEPTIONS WILL BE ALLOWED TO THIS SECTION.

Does your bid comply EXACTLY as written? Yes _____ No _____

1.14 Anti-Collusion Statement:

By signing this bid, the bidder agrees that his bid is made without any understanding, agreement, or connection with any other person, firm, or corporation making a bid for the same purpose and that his bid is in all respects fair and without collusion or fraud.

COMPANY NAME: _____

BIDDER SIGNATURE: _____

DATE: _____

1.15 Service and Warranty Repair:

Successful vendor must have a comprehensive ambulance service and repair facility to administrate warranty repair as needed. Vendor must have authorized factory trained service specialists and carry necessary inventory levels to affect prompt repair. **NO EXCEPTIONS.**

Bidders must list below their service facility and parts department profile to the purchaser.

FACILITY NAME: _____

ADDRESS: _____

PHONE NUMBER: _____

CONTACT NAME: _____

APPROX. MILES FROM PURCHASER: _____

YRS OF EXPERIENCE IN AMBULANCE REPAIR BUSINESS: _____

SQUARE FT. OF FACILITY: _____

NO. OF SERVICE BAYS: _____

NO. OF EMPLOYEES: _____

NO. OF FULL TIME AMBULANCE TECHNICIANS: _____

ARE TECHNICIANS FACTORY TRAINED? _____

TOTAL YEARS SHOP REPAIR EXPERIENCE: _____

VALUE OF SERVICE AND PARTS INVENTORY: _____

24-HR TURN AROUND TIME ON WARRANTY AND SERVICE? _____

NUMBER OF LIFT AREAS FOR SERVICE: _____

CAN SERVICE FACILITY PERFORM REMOUNTS? _____

CAN SERVICE FACILITY PERFORM ALUMINUM MODULE REPAIR? _____

IS FACILITY AND AUTHORIZED PPG COMMERCIAL FLEET PAINT
CENTER AND REPAIR FACILITY? _____

CAN SERVICE FACILITY DO SCOTCHLITE & LETTERING? _____

Does your bid comply EXACTLY as written? Yes _____ No _____

1.16 Documentation of Remount Facilities: This agency is very concerned with making bid award to the most qualified remounter. In order to aid our decision, each bidder shall submit with their bid the following documentation:

1. Photographs of physical plant including:
 - a. All bays & interior of remount facilities
 - b. Paint shop
 - c. Paint booth, spray facilities, and mixing room.
 - d. Hydraulic lifts
 - e. Frame machine
 - f. Stocks of remount inventory and remount chassis.
2. Documentation of adequate Workman's Compensation insurance, Product Liability Insurance, and Garage Keepers Liability Insurance.
3. A current copy of their state issued Motor Vehicle Dealers License.

There are no exceptions allowed to this requirement. If requested documentation cannot be submitted with the bid, please do not go any further. You will not qualify to bid.

Does your bid comply EXACTLY as written?

Yes _____ No _____

1.17 Inspection Trip:

- a. If needed, there shall be a pre-build conference held at this agency's facility prior to start of work.
- b. The successful bidder shall provide frequent status updates during construction. Photos showing the progress shall be sent via email.
- c. Upon completion, two (2) Marshall County EMS representatives will meet at builder's plant for the final inspection and acceptance. Full payment will be made at this time. The successful bidder shall pay all reasonable travel expenses (one-way). Bidders more than 450 miles from Benton, KY shall provide transportation, at no cost to Marshall County EMS, via commercial air carrier. Meals, lodging, and fuel shall be included. Bidders shall include

the cost of these meetings and travel in with their bid. These items are not to be "optioned" or "line itemed" in the bid.

Does your bid comply EXACTLY as written? Yes _____ No _____ N/A _____

- 1.17.1 Marshall County EMS requires that the ambulance remounter provide "in house" repairs for structural repairs from any outside accidents, as well as warranty items that may arise as the result of the remount work. Service facility shall be within 350 miles of Benton, KY.

Does your bid comply EXACTLY as written? Yes _____ No _____

1.18 References

This agency wishes to do business with an experienced, reliable, and honest ambulance contractor. Upon request, the contractor will provide a reference list of no less than twenty five (25) customers who have purchased similar remounts. The reference listing shall include the name of service, contact person, and contact information. Furthermore, the list shall include all new ambulance remount sales delivered by the bidding party for the last six (6) months. The customers shall be identifiable in the reference listing as recent remount deliveries. Marshall County EMS will sample the said references, along with any additional references from various sources, and compile the results. The successful vendor will have a minimum 90% approval rate.



This agency is extremely concerned with awarding to the most qualified bidder.

There are NO EXCEPTIONS allowed to this requirement. If you cannot, or choose not to comply, please do not go any further. You will not qualify to bid.

Does your bid comply EXACTLY as written? Yes _____ No _____

BID AWARD

BID AWARD CRITERIA: The agency is soliciting quality, state-of-the-art, and reliable emergency medical vehicles. Acquisition price shall not be the only or the prevailing factor in deciding the successful bidder.

WARNING:

This agency will not tolerate Vendors who state compliance to specifications but deliver an incomplete product and/or sub-standard materials and workmanship. Vendors who have made delivery of such an ambulance without making every reasonable effort to remedy the defects found at the time of delivery or within the warranty period will be notified that they are DEBARRED from submitting bids to this agency in the future. This agency will not waste valuable time (more than once) trying to recover legal costs and deal with lost in-service time of new apparatus, working with vendors who are unresponsive to the needs of this agency.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 1.19 Exceptions to Specifications: Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and be explained in detail on a separate sheet marked "Exceptions". Any bidder not complying shall not be considered as responsive.

Any proposal which indicates "No Exception" to any item on our proposal documents, and also includes a letter from the vendor taking major or total exception to our specifications or indicates they are quoting to provide their standard methods of construction without listing any differences in the manner described, will be immediately rejected as non-compliant and removed from further consideration.

Should a vendor offer a quotation in response to this proposal and not take explicit exceptions and attempt to offer a unit not in compliance with the exact specifications, the Purchaser reserves the sole right to issue a Purchase Order with specified penalties and/or invoke a Performance Bond. Penalties for not providing vehicle(s) to the exact specifications, with approved exceptions or deviations specifically authorized by Purchaser, will be assessed. These will require that the Vendor pay the difference in price as offered in their propo

2.0 TECHNICAL REQUIREMENTS - CHASSIS

Minimum technical specifications for the removal of Marshall County EMS' Type I Ambulance Module and subsequent remount to a 2019 or newer Ford F-450 4X2 DRW RV Cutaway Chassis. Vehicle must comply with Federal and State laws and regulations and all safety regulations as applicable on date of delivery concerning automotive equipment and conditions

and will be complete with standard equipment and all extra equipment as specified.

- 2.1 Manufacturer and Model Year: The chassis requirement for this specification is at least 2019.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.2 Model Type: The model type required is an F-450 4X2 Dual Wheel RV Cutaway Chassis.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.3 Ambulance Prep Package: The chassis shall be equipped with the ambulance builder's prep package, light and convenience group and handling package.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.4 GVWR: The gross vehicle weight rating shall be 16,500 lb.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.5 Axles and Suspension: The chassis provided shall be a 169" wheel-base, Heavy-duty front and rear springs with front stabilizer bar. Shock absorbers shall be heavy-duty. Rear axle is limited slip wide track with a ratio of 4.10:1. Rear wheels to be dual.

Does your bid comply EXACTLY as written?

Yes _____ No _____

- 2.6 Electrical: The vehicle shall be supplied with dual 12-volt batteries. They shall be standard OEM Heavy Duty Batteries with total capacity of 1500 CCA.

Does your bid comply EXACTLY as written?

Yes _____ No _____

- 2.7 Electrical Generating System: The ambulance shall be equipped with an OEM dual 130 Amp Alternators with internal voltage regulators.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.8 Engine: Engine size shall be a 6.7L Powerstroke Turbo Diesel with heavy-duty engine oil cooler.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.9 Engine Block Heater: The chassis shall have an OEM engine block heater. This heater shall be wired to the 110V shoreline input on the modular body.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.10 Engine High-Idle Speed Control, Automatic: The vehicle shall be equipped with an OEM Auxiliary Powertrain Control (APC) Module. It shall be preprogrammed in Charge Protection mode, the engine idle will be electronically adjusted (up or down) to maintain electrical system voltage. The device shall operate only when the transmission is in "Neutral" or "Park", and the parking brake has been engaged. The device shall disengage when the operator depresses the service brake pedal, the transmission is placed in gear, or parking brake is disengaged and automatically re-engages when the service brake is released, when the transmission is placed in neutral or park, and the parking brake is re-engaged. Maximum charge rate is achieved at 1747 RPM.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.11 Fuel Tank: The vehicle shall be equipped with a fuel tank having a capacity of at least 55 gallons

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.12 Tires and Rims: The vehicle shall be equipped with (7) LT225/75R 19.5 Radial black sidewall tires. The OEM manufacturer's standard steel vented rims will be provided. The four exposed wheels shall be covered with full wheel covers to protect the wheel and provide an easy to clean exterior surface. Spare tire, wheel and tire changing tools will also be provided.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.13 Transmission: The vehicle to be supplied with a 6 speed automatic and heavy-duty transmission oil cooler.

- Does your bid comply EXACTLY as written? Yes____ No____
- 2.14 Air Conditioning and Heater: The vehicle shall be equipped with factory air conditioning with heavy-duty cooling package and heavy-duty radiator. The heater shall be the manufacturer's standard with cut-off valves accessible.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.15 Auxiliary Heater-A/C Connector Package: The chassis shall be equipped with the Ford Auxiliary Heater-A/C connector package.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.16 Glass: The chassis shall be equipped with the chassis manufacturer's standard tinted glass supplied as part of their Air Conditioning Cooling Package. The glass provided shall meet all the requirements of CAAS GVS 2.0 and those of the Federal Motor Vehicle Safety Standards.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.17 Horns: The OEM manufacturer's dual electric horns shall be provided.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.18 Mirrors: The vehicle's exterior mirrors shall be black, sail-type, power OEM mirrors with built-in convex mirrors.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.19 Radio: The chassis manufacturer's standard AM/FM Stereo/CD shall be included.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.20 Seats: The Chassis shall be equipped with Ford OEM Dual Cloth Captain's Chairs with lap and shoulder belts and fold-up armrests for driver and passenger.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.21 Speed Control and Steering Wheel: Cruise speed control and tilt steering to be supplied.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.22 Package: Chassis shall include power door locks and power windows, interval select windshield wipers and chrome front bumpers
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.23 Running Boards: Install new flared highly polished aluminum running boards. Running boards shall be installed at a reasonable height as to not create an abnormally tall step into truck cab.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.24 Wheel liners: Install Phoenix stainless steel wheel covers with braided chrome fill tubes.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.25 Towing: Chassis shall have front tow hooks installed.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.26 Suspension: Suspension shall be modified as necessary to insure proper loading height.
- Does your bid comply EXACTLY as written? Yes____ No____
- 2.27 Floor Mats: New Ford chassis to be equipped with insulated, rubber floor mats in cab.
Carpeting is not desired by this agency.
- Does your bid comply EXACTLY as written? Yes____ No____

- 2.28 Mud Flaps: New chassis to be equipped with rubber mud flaps for dual rear wheel Type I ambulance.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.29 Undercoating: Professionally apply a petroleum based rustproofing type undercoating to chassis wheel well areas and apply where appropriate to bottom of modular body to soundproof and rustproof these areas.

Does your bid comply EXACTLY as written?
Yes _____ No _____

3.0 REMOVAL AND TRANSFER OF MODULAR AMBULANCE BODY

- 3.1 Dismount: Disconnect all sub systems between chassis and module. Lift module to allow full inspection of understructure.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 3.2 Module Inspection: Inspect all exposed structure and framing for cracks, warpage, excessive wear and corrosion. Any questionable areas shall be treated with dye penetrant material to expose cracks. Professionally repair as needed.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 3.3 Type Changeover: Transfer Module from Type I to another Type I. Modify suspension and bottom of module as necessary.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 3.4 Module Remount: Mount down module squarely on chassis. Remounter to use Ford OEM rubber isolators, mounting bolts and transfer body per Ford Guidelines.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 3.5 Cab Seal: Install a non-electrolytic black hard rubber seal between module and cab. Seal interface to eliminate air and water leaks. New stainless steel bolts will be used to fasten seal to cab and module body.

Does your bid comply EXACTLY as written? Yes _____ No _____

4.0 NEW CHASSIS PREPARATION

- 4.1 Springs: As necessary, level each side of modular body to insure proper handling and performance. Install new LiquidSpring™ suspension system to insure smooth ride and operation of vehicle.

Does your bid comply EXACTLY as written?
Yes _____ No _____

- 4.2 Exhaust Modification: Extend tailpipe to match module width.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 4.3 Fuel Tank: Modify gas tank filler necks to fit module - Install new fuel filler hoses and copper plumbing.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 4.4 New mountdown points: Install all new steel outriggers mounts per industry standard guidelines.

Does your bid comply EXACTLY as written? Yes _____ No _____

5.0 EXTERIOR BODY TRIM

- 5.1 Fuel Fill: Install new Cast Products fuel fill plate.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 5.2 Diamond Plate: Install new aluminum diamond plate running boards. Install new aluminum diamond tread plate rub rails and install new rear step assembly complete. All exterior compartment and patient entry door liners and any remaining aluminum diamond plate trim not replaced with new shall be polished to a high luster. Rear license plate assembly shall be recessed, illuminated, and centered.

Does your bid comply EXACTLY as written? Yes____ No____

- 5.3 Fenderettes: Remove and machine polish existing cast aluminum fenderettes to a high luster.

Does your bid comply EXACTLY as written? Yes____ No____

- 5.4 Drip Rails: Install new polished satin finished drip rails above all patient entry doors and all exterior compartment s.

Does your bid comply EXACTLY as written? Yes____ No____

- 5.5 Door Hinge: Polish existing stainless steel door hinge and reinstall.

Does your bid comply EXACTLY as written? Yes____ No____

- 5.6 Weatherstrip: Install new patient entry and compartment door weatherstrip with identical OEM type.

Does your bid comply EXACTLY as written? Yes____ No____

- 5.7 Dock bumpers: Install black hard rubber dock bumper on the rear step bumper tips:

Does your bid comply EXACTLY as written? Yes____ No____

6.0 MODULE EXTERIOR PAINT FINISH AND LETTERING

- 6.1 Preparation: Prior to any paint and bodywork remove all exterior compartment and entry doors, all hardware, hinges, handles and emergency lighting.

Does your bid comply EXACTLY as written? Yes____ No____

- 6.2 Surface Refinished: In order to provide the highest quality paint surface preparation, and to evaluate the module for evidence of electrolysis, complete and total mechanical removal of all paint, oils, and contaminants from module surface utilizing a dry stripping system is required. Mechanical removal shall be accomplished ONLY by the use of a glass or plastic media bead blasting system at approximately 50 psi. Hand sanding is not acceptable.

Vendors shall be required to provide photographic proof (before and after photos) of full compliance to this section.

THERE ARE ABSOLUTELY NO EXCEPTIONS OF ANY KIND ALLOWED TO THIS SECTION. IF YOU CANNOT COMPLY WITH THIS REQUIREMENT PLEASE DO NOT GO ANY FURTHER. YOU WILL NOT QUALIFY TO BID.

Does your bid comply EXACTLY as written? Yes____ No____

- 6.3 Electrolysis Inspection: Module will be inspected 100% for evidence of electrolysis. Such areas will be specially treated to prevent any further damage and remove visible damage. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes____ No____

- 6.4 Damage Repair: All minor body damage will be repaired in an industry standard professional manner to like new condition. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes____ No____

- 6.5 Paint Process: The module body shall be repainted in PPG Deltran Polyurethane Paint Process. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes____ No____

- 6.6 Vinyl Striping: Striping to be installed in house as specified by agency. Vendor will confirm striping design prior to installation to reduce the risk of errors. MCAS will provide pictures of current design, coloring, and layout. **It is**

very important that the vendor confirm design prior to installation. No subcontracting is permitted.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.0 ELECTRICAL SYSTEM:

7.1 Wiring Installation: All new power wiring provided shall be copper and conform to all the SAE J1292 requirements and shall have GXL or SXL high temperature thermoplastic or better insulation rated to 125 degrees centigrade and conforming to SAE J1127 and J1128

Does your bid comply EXACTLY as written? Yes _____ No _____

7.2 Wiring Labeling: All wiring shall be permanently color-coded and labeled for easy troubleshooting.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.3 Wiring Loom: The engine wiring shall be routed in conduit or high temperature looms with a rating of 300 degrees Fahrenheit. All added wiring shall be in protective loom, located in accessible, enclosed and protected locations, and kept at least six inches away from the exhaust system components. Wiring and components shall not terminate in the oxygen storage compartment except for the compartment light and door switch plunger. Wiring necessarily passing through an oxygen compartment shall be routed in metal conduit. All conduits, looms and wiring shall be secured to the body or frame with insulated metal straps in order to prevent sagging and movement which results in chafing, pinching, snagging, or any other damage. All apertures on the vehicle shall be properly grommited for passing wiring and conform to SAE 1292.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.4 Battery Switch: Install new 275 Amp inpower battery disconnect switch.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.5 Cab Wiring: Install new power distribution harness and battery cables.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.6 Engine Block Heater: Install OEM engine block heater to shoreline.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.7 Front Cab Console: Install a padded RFP contoured floor mount console to house switch panel. Designed to be confirmed by agency prior to build.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.9 Back up alarm: Install a Preco 97DB OSHA backup alarm in a protected location.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.10 Spotlight: Install a 200,000 cp Optronics hand held spotlight.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.11 Front Switch Panel: Install an RC Tronics front switch panel complete with analog voltmeter and ammeter.

Does your bid comply EXACTLY as written? Yes _____ No _____

7.12 Power Distribution System: Install a new complete power distribution panel featuring easily replaceable low voltage Bosch relay switching system should the panel be deemed in need of replacement by the remount contractor.

- Does your bid comply EXACTLY as written? Yes____ No____
- 7.13 Taillights: Install Whelen 600 Series LED Stop/tail, LED Amber arrow turns, and LED back up lights. All lights shall have chrome bezels.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.14 ICC Lights: Install new LED ICC lights.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.15 Scene Lights: Install four (4) Whelen 900 Series LED Scene Lights.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.16 Load Lights: Install two (2) Whelen 900 Series LED Load Lights on rear of module.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.17 Intersection Lights: Provide and install Whelen 700 Series Red/Clear LED intersection light with chrome flanges.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.18 Grille Lights: Provide and install four (4) new Whelen 500 Series LED grille lights (2 red and 2 clear) on polished Cast grill housings in grille area.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.19 Speakers: Provide and install new Cast Products, # SH-4020-2, 100-watt siren speakers mounted in the OEM bumper tips.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.20 Warning Lights: Remove existing warning lights from front of module and replace with seven (7) Whelen 900 Series LED warning lights: four (4) red & three (3) white in slight V - pattern. All warning lights shall flash in an unsynchronized flash pattern.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.21 Remaining Warning Lights: Provide nine (9) Whelen 900 Series LED warning lights (8 red & 1 amber). Install two (2) red each side and five (5) on rear (Red-Amber-Red upper) and two (2) red at window level.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.22 Door Switches: Install all new patient entry and compartment door switches.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.23 Dome Lights: Install six (6) Whelen round LED dome lights in headliner.
Does your bid comply EXACTLY as written? Yes____ No____
- 7.23.1 GPS Module: The GPS tracking module under the dash shall be removed from existing unit and placed in the new unit. Placement should be in location similar to where it was originally removed.
Does your bid comply EXACTLY as written Yes____
No____
- 7.24 Backup Camera: Install a new Hanscom K backup rear view camera system with a 3" monitor

Integrated into the rear view mirror.

Does your bid comply EXACTLY as written Yes____
No____

7.25 Anti-Theft Device: install a new Kussmaul anti-theft device appropriate for Ford F-450 Chassis.

Does your bid comply EXACTLY as written Yes____
No____

8.0 EXTERIOR COMPARTMENTS

8.1 Weather-stripping: Replace all damaged exterior rubber door weather-stripping with original or equivalent seal.

Does your bid comply EXACTLY as written? Yes____ No____

8.2 Compartment Door: Compartment doors are to be closely inspected for condition and repaired as necessary.

- a. Checked and trued for alignment and closure
- b. All hold opens checked for operation and defective closures replaced
- c. Lubricate all door latches and locks for proper operation
- d. Replace any defective or loose latches or locks to insure 100% like new operation
- e. Any damaged windows replaced with like OEM windows from OEM manufacturer

Does your bid comply EXACTLY as written? Yes____ No____

8.3 Exterior Door Latch and Handles: The door latch assembly of each compartment will be an Eberhard Grabber 21100 series, two (2)-point slam lock (206 rotary latch), of stainless steel construction. Door latch assemblies shall be "blind mounted" eliminating any exposed mounting hardware on the exterior side of the latches. There is to be a rubber gasket between the exterior stainless steel latch assembly and the aluminum door to ensure the isolation of the two dissimilar metals.

The door linkage rods' connecting the door handles and the rotary latches are to be 5/32 steel rods threaded on turn buckle end. They shall be straight direct pull rods with no bends built into the rods allowed. Adjustments to the entry door linkage rods are to be provided by a turnbuckle located above and below and adjacent to each interior door handle. Interior door latches shall be replaced as needed and shall not be "loose" in operation.

Does your bid comply EXACTLY as written? Yes____ No____

All exterior doors are to be lockable via an "automotive style" lock with all compartment and patient compartment entry doors being keyed alike. The key shall be double sided for ease of insertion into the lock.

Does your bid comply EXACTLY as written? Yes____ No____

8.4 Compartment Floor Treatment: **All compartment floors to have black Kendall Dri-Deck. NO EXCEPTION.**

Does your bid comply EXACTLY as written? Yes____ No____

8.5 Cast Grabber Door Hold Opens: Install new Cast Grabber door hold opens on the rear module doors.

Does your bid comply EXACTLY as written? Yes____ No____

PATIENT COMPARTMENT CABINETRY AND FIXTURE:

9.1 Cabinetry: Cabinets will be checked for sharp edges, defective areas, and professionally repaired including the following items:

- a. Trim out interior to a like new condition including cabinet latches.

- b. Manually check cabinet mounting bolts and gas cylinders to insure stability, strength, and like new operation
- c. Check all shelves for security and make rattle proof
- d. Check all seatbelts and replace all defective ones
- e. Replace any damaged or missing trim.
- f. Replace any rusty or discolored screws or trim
- g. Provide high quality clean up and sanitation to all cabinetry, compartments, headliner, etc.
- h. Replace drug cabinet door latch with chrome / metal latch of similar design

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.2 **Subfloor:** After removal of old floor covering, sub-floor shall be closely inspected for damage. Subfloor will be repaired or replaced as necessary to a like new condition.

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.3 **Flooring:** Install a color matched Lonseal "Lonplate II" PVC vinyl safety floor and coved up side wall 4" for Ease of cleaning.

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.4 **Interior trim:** Trim out interior to new condition.

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.5 **Thresholds:** Install stainless steel side and rear thresholds to trim out floor at side and rear doors.

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.6 **Upholstery:** Install new thermal formed seamless upholstery including seamless thermal formed Captains Seat / Attendant Seat.

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.7 **Cot Mount:** Install a new Stryker Powerload Cot mount system which shall be supplied by agency.

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.9 **Formica Repair:** Replace any damaged Formica.

Does your bid comply EXACTLY as written?

Yes____ No____

- 9.10 **Safety Net:** Inspect Safety net at the head of the squad bench and replace as needed.

Does your bid comply EXACTLY as written?

Yes____ No____

10.0 HEATING AND AIR CONDITIONING

- 10.1 **Heat/Cool Unit:** Install new Pro Air Super Core Heat/Cool unit with wall mounted thermostat. System shall be complete with all-new hoses and fittings.

Does your bid comply EXACTLY as written?

Yes____ No____

- 10.2 **Heat/Cool Testing:** System shall be extensively tested for peak performance and readings shall be provided to customer. Existing vent openings (patient compartment) shall be replaced as needed.

Does your bid comply EXACTLY as written?

Yes____No____

10.3 Power Vent: Shall be tested and repaired or replaced to meet original equipment performance.

Does your bid comply EXACTLY as written?

Yes____No____

11.0 OXYGEN AND VACUUM SYSTEMS

11.1 Oxygen System: Perform 4-hour nitrogen leak test. Repair any leaks noted and re-test and tag system with certification.

Does your bid comply EXACTLY as written?

Yes____No____

11.2 Oxygen Outlets: Install all new Ohio outlets and perform leak test and seal as needed.

Does your bid comply EXACTLY as written?

Yes____No____

11.3 Suction System: Test vacuum lines, outlets for proper operation and repair or replace as necessary.

Does your bid comply EXACTLY as written?

Yes____No____

Marshall County EMS BID FORM

NAME OF BIDDER: _____

ADDRESS: _____

CITY/STATE/ZIP: _____

TELEPHONE: _____

PERSON TO CONTACT: _____

We herewith submit and bid as follows:

CHASSIS/MAKE: _____

MODEL/TYPE: _____

AMBULANCE BRAND: _____

F.O.B. POINT: _____

DELIVERY – CALENDAR DAYS: _____

TOTAL PRICE COMPLETE, AS SPECIFIED.....\$ _____

TRADE-IN ALLOWANCE FOR TAKE OFF CHASSIS.....<\$ _____

NET PRICE COMPLETE, AS SPECIFIED.....\$ _____

BID IS: _____ **AS PER SPECIFICATION, TAKING NO EXCEPTIONS**
 _____ **TAKING ONLY THOSE SPECIFICATION EXCEPTIONS**
 LISTED, ATTACHED AND REFERENCED TO PARAGRAPH NUMBER
 SPECIFIED

It is agreed by the undersigned bidder that the signature and submission of this bid represents the bidders acceptance of all terms, conditions, and requirements of bid specifications and, if awarded, the bid will represent the agreement between the two parties.

SIGNED: _____ **DATE:** _____

NAME PRINTED: _____ **TITLE:** _____

EXCEPTIONS / CLARIFICATIONS

Each bidder may copy this form, as necessary to sufficiently list all exceptions and variations from specifications (Please list as shown, by page, item number, and check if vendor chooses not to supply, or is unavailable, or describe deviation or substitution in detail, if furnished). Purchaser will be the sole judge of proposed substitution equivalency.

VENDOR NAME: _____

BIDDING: _____

EXCEPTION PAGE: _____ **OF** _____

SPECIFICATION PAGE:	REFERENCE #	NOT AVAILABLE:	EXPLANATION:
----------------------------	--------------------	-----------------------	---------------------