## MARSHALL COUNTY EMS

BENTON, KY

## REMOUNT AMBULANCE SPECIFICATION

TYPE III CLASS 2 (4X2) DRW

# **TYPE III REMOUNT**

CAAS GVS 2.0 Remount Standards

It is the intent of these specifications, and all requirements listed herein, to obtain bids on vehicles to meet the local needs of Marshall County, and to obtain bids that may be easily, and completely evaluated on an equal and competitive basis.

Because of the wide variances in types, configurations, options and models available in the industry, the purpose of these specifications is to set a standard by which all proposals received may be evaluated, studied and compared equitably. Vendors are required to return one (1) copy of these specifications, correctly and completely furnishing all information requested and answering all questions attached. Any requested data literature, drawings, etc. and detailed written lists of exceptions taken must also be enclosed.

Since bids from a number of suppliers are anticipated, and Marshall County cannot be expected to be familiar with all various technical details of all vendor's products, the only adequate method of evaluation will be to compare in this format. Vendors are cautioned that failure to submit proposals in format specified herein, will be grounds to reject vendors proposal and remove bid from consideration.

Any questions for clarifications, etc. should be directed in writing to the above, and responses will be furnished in writing to all prospective vendors.

Considerable time and effort has been invested to design these specifications to the specific needs of Marshall County EMS. <u>Therefore</u>, <u>alternate bids will not be considered</u>. <u>No Exceptions to this will be allowed</u>.

It is further understood that the vehicle described is for use in the provision of emergency services.

## **BUY AMERICAN**

It is the intent of these specifications and requirements listed herein to obtain proposals on vehicles to meet the local needs of the Purchaser that may be easily and completely evaluated on an equal basis. In accordance with "Buy America" programs, proposals will be accepted only from manufacturers that are only 100% wholly owned, financed, and operated by USA based firms.

## **LEGAL RIGHT TO SPECIFY**

The Purchaser chooses to exercise its Legal Right to Specify as determined by the U.S. Supreme Court's affirmation of the decision handed down in the case of <u>Whitten Corp. Vs Paddock</u> by the U.S. District Court of Massachusetts, the First Federal District Court:

- 1) That as trained professionals, the Purchaser makes informed judgments on products that they feel best serve their needs. Technically, very few brands of material or equipment are exactly alike, and if the specifier wants to limit the specification to one source he has the right to do so and enforce it.
- 2) Only the specifier has the responsibility and judgment for determining whether a proposed substitution is an "or equal".
- 3) That from start to finish in the purchasing process only the specifier can ultimately decide if another desirable product is available in lieu of the specification.
- 4) Finally, that the courts concluded "the burden is on the supplier or manufacturer, who has NOT been specified, to convince the specifier that their product is equal for the purpose of a particular project".

The specifier has determined that this product specification shall represent the product to which all offerings shall be compared. Due to the fact that emergency response duties are ULTRAHAZARDOUS, UNAVOIDABLY DANGEROUS activities, only trained personnel with specific knowledge in the area of Emergency Service Equipment shall be allowed to make the final decision on the selection of the appropriate product to best serve Dougherty County.

## **EMERGENCY MEDICAL CARE VEHICLE**

## 1.0 Scope, Purpose and Classification

- 1.1 <u>Scope:</u> This specification covers the remounting and refurbishment of a commercially produced, surface medical care vehicle, hereinafter referred to as ambulance or vehicle. A vehicle in compliance with this specification shall be defined as a standard ambulance. This vehicle shall be in accordance with the Ambulance Design Criteria of the National Highway Traffic Administration, U.S. Department of Transportation, Washington D.C. This bid specification is based on the CAAS GVS 2.0 Standards.
- Purpose: The purpose of this document is to provide minimum specifications and test parameters for the remounting and refurbishment of an emergency medical care vehicle that meets the needs and desires of this agency. It establishes essential criteria for the design, performance, equipment and appearance of the vehicle. The object is to provide a vehicle that is in accordance with nationally recognized guidelines. It is the intent to return the unit to a new or like new condition per the specification.
- 1.3 <u>Classifications:</u> This specification calls for the following type of vehicle. It is in accordance with CAAS GVS 2.0.

Type 3 – Commercial Cutaway Chassis with modular ambulance body. Class 2 - Two rear wheel driven (4x2)

- 1.4 <u>General:</u> This is an engineer, design, construct and deliver type specification and it is not the intention of this agency to write out vendors of similar or equal equipment of the types specified. It should be noted, however, that this specification is written around specific needs of this agency. With the intent to standardize certain components, therefore, in numerous places we have named specific brands of components. This has been done to establish a certain standard of quality. Other brands will only be accepted providing the vendor provides documentation in the bid that the particular brand offered meets or exceeds the quality of the actual brand called for in the specification.
- 1.5 <u>Materials:</u> The emergency medical care vehicle, chassis, ambulance body, equipment, devices, medical accessories and electronic equipment to be delivered under this contract shall be standard commercial products, which meet or exceed the requirements of this specification. The ambulance shall comply with all Federal Motor Vehicle Safety Standards (FMVSS), the Federal regulations applicable or specified for the year of manufacture. The chassis, components and optional items shall be as represented in the manufacturer's current technical data. Materials used in the construction shall be new and not less than the quality conforming to current engineering and manufacturing practices. Materials shall be free of defects and suitable for service intended.
- 1.6 <u>Manufacturing Ability:</u> It is the intent of these specifications that the Remounter of these vehicles has the ability to remount and refurbish a complete ambulance within their plant facility, except for the chassis. The Ambulance Remounter must have significant experience in the remounting and refurbishment of modular ambulance bodies and performed a minimum of 100 remounts in the last two years. In addition, the Bidder/manufacturer must include with this bid, proof of \$5,000,000.00 product liability coverage. <u>NO EXCEPTIONS.</u>
- 1.7 <u>Exceptions to Specifications:</u> Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and be explained in detail on a separate sheet marked "Exceptions". Any bidder not complying <u>shall not</u> be considered as responsive.
- 1.8 <u>Prices and Payments:</u> All bid prices shall be complete and include warranty and delivery of the completed vehicle to this agency.

Payment shall be made in accordance with these specifications and the Bid Proposal submitted by the Bidder. Payment will be made upon acceptance of the vehicle(s) and equipment specified under these specifications.

All bid prices and conditions must be specified on the Bid Proposal Form. Bid prices shall be valid for at least 30 days from the date of the Bid Opening, or as otherwise specified on the Bid Proposal form.

Full payment will be made as each unit is received, inspected and found to comply with procurement specifications, free of damage and properly invoiced.

4

9/23/2021

Successful vendor shall, at delivery, supply MARSHALL COUNTY EMS with MSO's.
Does your bid comply EXACTLY as written? Yes No
1.9 <u>Warranty:</u> The successful bidder shall provide remounter's warranty coverage for the ambulance or rescue vehicle conversion, which coverage shall, at a minimum include:
(A) A Limited Warranty shall be provided on the ambulance remount conversion. The remounter shall warrant to the original retail purchaser that, for a period of thirty six (36) months or thirty-six thousand (36,000) miles from the point of delivery, whichever first occurs, the ambulance remount shall be free of substantial defects in remount materials and remount workmanship, which are attributable to Warrantor remount work and which arise during the course of normal use and service. There shall be a copy of the Warranty statement included with the bid documents. NO EXCEPTIONS.  Does your bid comply EXACTLY as written?  Yes No
(B) There shall be a three (3) year / 36,000 mile warranty on the Ambulance Remount electrical wiring system effective starting the date this agency accepts delivery of the completed vehicle. It is the intent of this requirement that items not manufactured or installed by the ambulance remounter be excluded. There shall be a copy of the Warranty statement included as part of the bid documents. NO EXCEPTIONS.
Does your bid comply EXACTLY as written? Yes No
(C) There shall be a three (3) year / 36,000 mileage paint warranty covering the ambulance conversion and any painting done to the chassis. There shall be a copy of the Warranty statement included with the bid. NO EXCEPTIONS.
Does your bid comply EXACTLY as written? Yes No
(D) Warranty on the chassis portion of the completed ambulance or rescue vehicle shall be the responsibility of the chassis manufacturer, FORD MOTOR COMPANY. The terms of such warranty are set forth in the Ford Warranty literature included in the owner's manual. The successful manufacturer's sole responsibility with regard to the chassis shall be to provide reasonable assistance to the purchaser in obtaining warranty from the chassis manufacturer or its authorized service center. Bidders failing to meet these requirements shall be considered non-responsive.
1.10 Anti-Collusion Statement: By executing and submitting this bid, the Bidder certifies that his Bid is made without reference to any other bid and without any agreement, understanding, collusion or combination with any other person in reference to such bidding.
1.11 <u>Ambulance Bids and Alternate Bids:</u> Considerable time and effort has been invested to design these specifications to the specific needs of MARSHALL COUNTY EMS. Therefore, alternate bids not exactly to spec will not be considered.
1.12 <u>Warranty Surety:</u> To ensure quality, service, and full compliance to the above warranties the vehicle, with the exception of the chassis, must be constructed by the ambulance manufacturer. Additional elements constructed and installed "in house" are required to ensure service and parts availability. Subcontractors or lease/rental agreements to outside agencies will fail to meet this requirement. NO EXCEPTIONS WILL BE ALLOWED.
Does the ambulance manufacturer as the prime contractor construct the modular body?
Does your bid comply EXACTLY as written? Yes No
Does the ambulance manufacturer as the prime contractor apply paint?
Does your bid comply EXACTLY as written? Yes No
Are interior cabinets constructed and installed by the ambulance manufacturer as the prime contractor?
Does your bid comply EXACTLY as written? Yes No
<ul> <li>Are the wiring harnesses, circuit boards, and O<sub>2</sub> systems assembled, installed and tested by the ambulance manufacturer as the prime contractor?</li> </ul>
Does your bid comply EXACTLY as written? Yes No

•	Is the uphoistery for seat c manufacturer as the prime c	ontractor?	e assembled and installed by the ambulance  EXACTLY as written? Yes No
Del per the	ce delivery proposals by the nedules that are submitted b livery delays due to componentalize either the dealer or the	by the bidders shall automatically bent supply problems or chassis delignment and the bent supply problems or chassis delignment and the bent success of 425 miles shall be by control the supply of the shall be by control the supply of the s	letermination of the bid award, the delivery ecome binding upon the successful bidder. very problems to the manufacturer shall not thin one hundred twenty (120) from award of ommon carrier or rail. ABSOLUTELY NO
wit	signing this bid, the bidder a h any other person, firm, or o and without collusion or frau	t: grees that his bid is made without a corporation making a bid for the san d.	ny understanding, agreement, or connection ne purpose and that his bid is in all respects
	COMPANY NAME:	Select-Tech, Inc	
	BIDDER SIGNATURE: _	AM.	
	DATE:	1/10/8/21	
		//	
1.1	5 Service and Warranty	Repair:	
		comprehensive ambulance service a have authorized factory trained serv	nd repair facility to administrate warranty
inve	entory levels to affect prompt		rvice capabilities and provide them at no
ado	entory levels to affect prompt	repair. Vendor shall have mobile se	
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no
ado	entory levels to affect prompt ditional cost when practical a	repair. Vendor shall have mobile send convenient. NO EXCEPTIONS.	rvice capabilities and provide them at no

Bidder	must list below their service facility and parts department profile to the purchaser.
	FACILITY NAME: Select-Tech, Inc
	ADDRESS: 250 N. Thompson ST
	Shelbrille, TN 37160
	PHONE NUMBER: 931-684-8964
	CONTACT NAME: Steve Feldhaus
	APPROX. MILES FROM PURCHASER: 175
	AT FROM MELLO FROM FOR OTHER LAND AND A CONTROL AND A CONT
	SQUARE FT. OF FACILITY: 33,000
	NO. OF SERVICE BAYS: 5
	NO. OF EMPLOYEES:
	NO. OF FULL TIME AMBULANCE TECHNICIANS:9
	ARE TECHNICIANS FACTORY TRAINED?
	TOTAL YEARS SHOP REPAIR EXPERIENCE: 100+
	VALUE OF SERVICE AND PARTS INVENTORY: #300,000 +
	24-HR TURN AROUND TIME ON WARRANTY AND SERVICE?
	NUMBER OF LIFT AREAS FOR SERVICE:
	CAN SERVICE FACILITY PERFORM REMOUNTS?
	CAN SERVICE FACILITY PERFORM ALUMINUM MODULE REPAIR?
	IS FACILITY AND AUTHORIZED PPG COMMERCIAL FLEET PAINT CENTER AND REPAIR FACILITY?
	CAN SERVICE FACILITY DO SCOTCHLITE & LETTERING? Ves
	Does your bid comply EXACTLY as written? Yes No
1.16	Documentation of Remount Facilities: This agency is very concerned with making bid award to the most
	qualified remounter. In order to aid our decision, each bidder shall submit with their bid the following documentation:
1.	Photographs of physical plant including:
	All bays & interior of remount facilities     Paint shop
	c. Paint booth, spray facilities, and mixing room.
	d. Hydraulic lifts e. Frame machine
	f. Stocks of remount inventory and remount chassis.
2.	Documentation of adequate Workman's Compensation insurance, Product Liability Insurance, and Garage Keepers Liability Insurance.
3.	A current copy of their state issued Motor Vehicle Dealers License.

There are no exceptions allowed to this requirement. If requested documentation cannot be submitted with the bid, please do not go any further. You will not qualify to bid.

Does	our	bid	comply	<b>EXACTLY</b>	as	written?
DUCS	Jun	DIG	COMPIN	LANCILI	43	AALLECCHII:

	/		
Yes_	V	No	

### **Inspection Trip:**

- a. There shall be a pre-build conference held at this agency's facility prior to start of work.
- b. The successful bidder shall provide frequent status updates during construction. Photos showing the progress shall be sent via email.
- c. Upon completion, two (2) Marshall County EMS representatives will meet at builder's plant for the final inspection and acceptance. Full payment will be made at this time. The successful bidder shall pay all reasonable travel expenses (one-way). Bidders more than 450 miles from Benton, KY shall provide transportation, at no cost to Marshall County EMS, via commercial air carrier. Meals, lodging, and fuel shall be included. Bidders shall include the cost of these meetings and travel in with their bid. These items are not to be "optioned" or "line itemed" in the bid.


					/		
Does your b	oid comply	<b>EXACTLY</b>	as written?	Yes_	V	No	

1.17.1 Marshall County EMS requires that the ambulance remounter provide "in house" repairs for structural repairs from any outside accidents, as well as warranty items that may arise as the result of the remount work. Service facility shall be within 425 miles of Benton, KY.

	./	
Does your bid comply EXACTLY as written?	Yes_V	No

## 1.18 References

This agency wishes to do business with an experienced, reliable, and honest ambulance contractor. Contractor will provide a reference list of no less than twenty five (25) customers who have purchased similar remounts. The reference listing shall include the name of service, contact person, and contact information. Furthermore, the list shall include all new ambulance remount sales delivered by the bidding party for the last six (6) months. The customers shall be identifiable in the reference listing as recent remount deliveries. Marshall County EMS will sample the said references, along with any additional references from various sources, and compile the results. The successful vendor will have a minimum 90% approval rate.



Does your bid comply EXACTLY as written? Yes\_\_/\_No\_\_\_

### **BID AWARD**

BID AWARD CRITERIA: The agency is soliciting quality, state-of-the-art, and reliable emergency medical vehicles. Acquisition price shall not be the only or the prevailing factor in deciding the successful bidder.

## **WARNING:**

This agency will not tolerate Vendors who state compliance to specifications but deliver an incomplete product and/or sub-standard materials and workmanship. Vendors who have made delivery of such an ambulance without making every reasonable effort to remedy the defects found at the time of delivery or within the warranty period will be notified that they are DEBARRED from submitting bids to this agency in the future. This agency will not waste valuable time (more than once) trying to recover legal costs and deal with lost in-service time of new apparatus, working with vendors who are unresponsive to the needs of this agency.

Does your bid comply EXACTLY as written?	Yes V	No

1.19 <u>Exceptions to Specifications:</u> Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and be explained in detail on a separate sheet marked "Exceptions". Any bidder not complying <u>shall not</u> be considered as responsive.

Any proposal which indicates "No Exception" to any item on our proposal documents, and also includes a letter from the vendor taking major or total exception to our specifications or indicates they are quoting to provide their standard methods of construction without listing any differences in the manner described, will be immediately rejected as non-compliant and removed from further consideration.

Should a vendor offer a quotation in response to this proposal and not take explicit exceptions and attempt to offer a unit not in compliance with the exact specifications, the Purchaser reserves the sole right to issue a Purchase Order with specified penalties and/or invoke a Performance Bond. Penalties for not providing vehicles(s) to the exact specifications, with approved exceptions or deviations specifically authorized by Purchaser, will be assessed. These will require that the Vendor pay the difference in price as offered in their propo

## 2.0 TECHNICAL REQUIREMENTS - CHASSIS

Minimum technical specifications for the removal of Marshall County EMS' Type III Ambulance Module and subsequent remount to a 2021 or newer Ford E-450 4x2 Cutaway chassis. Vehicle must comply with Federal and State laws and regulations and all safety regulations as applicable on date of delivery concerning automotive equipment and conditions and will be complete with standard equipment and all extra equipment as specified.

2.1	Manufacturer and Model Year: The chassis requirement for this specification is a 2021 or newer.	
	Does your bid comply EXACTLY as written? YesN	lo
2.2	Model Type: The model type required is an E-450 4X2 Dual Wheel Cutaway Chassis.	
	Does your bid comply EXACTLY as written? YesN	lo
2.3	Ambulance Prep Package: The chassis shall be equipped with the ambulance builder's prep palight and convenience group and handling package.	ckage,
	Does your bid comply EXACTLY as written? YesNo	_
2.4	GVWR: The gross vehicle weight rating shall be 14,500 lb.	
	Does your bid comply EXACTLY as written?YesNo	_
2.5	<u>Axles and Suspension:</u> The chassis provided shall be a 159.0" wheel-base, Heavy-duty front and resprings with front stabilizer bar. Shock absorbers shall be heavy-duty. Rear axle is limited slitrack with a ratio of 4.10:1. Rear wheels to be dual.	
	Does your bid comply EXACTLY as written? YesN	lo
2.6	Electrical: The vehicle shall be supplied with dual 12-volt batteries. They shall be standard OEM Duty Batteries with total capacity of 1500 CCA.  Does your bid comply EXACTLY as written?  YesN	
2.7	Electrical Generating System: The ambulance shall be equipped with an OEM dual 130 Amp Alterwith internal voltage regulators.  Does your bid comply EXACTLY as written?  YesN	
2.8	Engine: Engine size shall be a Ford 7.3L V-8 Premium Gasoline Engine.  Does your bid comply EXACTLY as written?  YesN	lo
2.9	Engine High-Idle Speed Control, Automatic: The vehicle shall be equipped with an OEM Auxiliary Powertrain Control (APC) Module. It shall be preprogrammed in Charge Protection mo engine idle will be electronically adjusted (up or down) to maintain electrical system voltage. The shall operate only when the transmission is in "Neutral" or "Park", and the parking brake ha engaged. The device shall disengage when the operator depresses the service brake ped transmission is placed in gear, or parking brake is disengaged and automatically re-engages when the transmission is placed in neutral or park, and the parking brake engaged. Maximum charge rate is achieved at 1747 RPM.	device s been al, the nen the e is re-
	Does your bid comply EXACTLY as written? Yes	lo

2.10	Fuel Tank: The vehicle shall be equipped with a fu	el tank having a capacity of at least 55	gallons
	Does you	ur bid comply EXACTLY as written?	YesNo
2.11	<u>Tires and Rims:</u> The vehicle shall be equipped wo OEM manufacturer's standard steel vented rims covered with full wheel covers to protect the wheeling, wheel and tire changing tools will also be proposed to be propo	will be provided. The four exposed el and provide an easy to clean exterio	wheels shall be or surface. Spare
2.12	Transmission: The vehicle to be supplied with	th a 6-speed automatic w/overdrive	and heavy-duty
	transmission oil cooler.  Does yo	ur bid comply EXACTLY as written?	Yes_VNo
2.13	Air Conditioning and Heater: The vehicle shall be cooling package and heavy-duty radiator. The he valves accessible.	eater shall be the manufacturer's star	ndard with cut-off
	Does yo	ur bid comply EXACTLY as written?	YesNo
2.14	Auxiliary Heater-A/C Connector Package: The cha/C connector package.	assis shall be equipped with the Ford	Auxiliary Heater-
	Does yo	ur bid comply EXACTLY as written?	Yes_V_No
2.15	Glass: The chassis shall be equipped with the ch part of their Air Conditioning Cooling Package. CAAS GVS 2.0 and those of the Federal Motor Veh	The glass provided shall meet all the	
	Does yo	our bid comply EXACTLY as written?	Yes_V_No
2.16	Horns: The OEM manufacturer's dual electric hor	ns shall be provided.	
	Does yo	our bid comply EXACTLY as written?	YesNo
2.17	<u>Mirrors:</u> The vehicle's exterior mirrors shall be b mirrors.	•	
	Does yo	our bid comply EXACTLY as written?	Yes_V_No
2.18	Radio: The chassis manufacturer's standard AM/I		
	Does yo	our bid comply EXACTLY as written?	Yes_V_No
2.19	Seats: The Chassis shall be equipped with Ford belts and fold-up armrests for driver and passenge		lap and shoulder
	Does yo	ur bid comply EXACTLY as written?	YesNo
2.20	Speed Control and Steering Wheel: Cruise speed	control and tilt steering to be supplied	l.
	Does yo	ur bid comply EXACTLY as written?	Yes_ VNo
2.21	Package: Chassis shall include power door locks	and power windows, interval select	windshield wipers
	and chrome front bumpers  Does yo	ur bid comply EXACTLY as written?	YesNo
2.22	Running Boards: Install new flared highly polished	d aluminum running boards.	,
	Does yo	ur bid comply EXACTLY as written?	YesNo
2.23	Wheel liners: Install Phoenix stainless steel wheel	covers with braided chrome fill tubes	. /
	Does y	our bid comply EXACTLY as written?	Yes_V_No

2.24	<u>Towing:</u> Chassis shall have front tow hooks installed (if allowed by chassis).
	Does your bid comply EXACTLY as written? Yes No
2.25	Suspension: Suspension shall be modified as necessary to insure proper loading height.
	Does your bid comply EXACTLY as written? YesNo
2.26	Floor Mats: New Ford chassis to be equipped with insulated, rubber floor mats in cab.
	Carpeting is not desired by this agency.  Does your bid comply EXACTLY as written?  Yes No
2.27	Mud Flaps: New chassis to be equipped with rubber mud flaps for dual rear wheel Type III ambulance.
	Does your bid comply EXACTLY as written? Yes No
2.28	<u>Undercoating:</u> Professionally apply a petroleum based rustproofing type undercoating to chassis wheel well areas and apply where appropriate to bottom of modular body to soundproof and rustproof these
	Does your bid comply EXACTLY as written?  YesNo
3.0	REMOVAL AND TRANSFER OF MODULAR AMBULANCE BODY
3.1	<u>Dismount:</u> Disconnect all sub systems between chassis and module. Lift module to allow full inspection of understructure.
	Does your bid comply EXACTLY as written? Yes VNo
3.2	Module Inspection: Inspect all exposed structure and framing for cracks, warpage, excessive wear and corrosion. Any questionable areas shall be treated with dye penetrant material to expose cracks. Professionally repair as needed.
	Does your bid comply EXACTLY as written? Yes/_No
3.3	Type Changeover: Transfer Module from Type III to another Type III. Modify suspension and bottom of module as necessary.
	Does your bid comply EXACTLY as written? YesNo
3.4	Module Remount: Mount down module squarely on chassis. Remounter to use Ford OEM rubber isolators, mounting bolts and transfer body per Ford QVM Guidelines.
	Does your bid comply EXACTLY as written? YesNo
3.5	<u>Cab Seal:</u> Install a non-electrolytic black hard rubber seal between module and cab. Seal interface to eliminate air and water leaks. New stainless steel bolts will be used to fasten seal to cab and module body.
	Does your bid comply EXACTLY as written? YesNo
4.0	NEW CHASSIS PREPARATION
4.1	Springs: As necessary, level each side of modular body to insure proper handling and performance.
	Does your bid comply EXACTLY as written?  YesNo
4.2	Exhaust Modification: Extend tailpipe to match module width.
	Does your bid comply EXACTLY as written?  Yes VNo
4.3	Fuel Tank: Modify gas tank filler necks to fit module - Install new fuel filler hoses and copper plumbing.
	Does your bid comply EXACTLY as written?  Yes No

4.4	New mountdown points: Insta	all all new steel outriggers mounts per QVM guidelines.	
		Does your bid comply EXACTLY as written?	YesNo
5.0	EXTERIOR BODY TRIM		
5.1	Fuel Fill: Install new Cast Prod	ducts fuel fill plate.	
		Does your bid comply EXACTLY as written?	YesNo
5.2	tread plate rub rails and instal	uminum diamond plate running boards. Install new alumin Il new rear step assembly complete. All exterior compartn aining aluminum diamond plate trim not replaced with new	nent and patient
		Does your bid comply EXACTLY as written?	Yes_ VNo
5.3	Fenderettes: Remove and ma	chine polish existing cast aluminum fenderettes to a high	uster
		Does your bid comply EXACTLY as written?	YesNo
5.4		d satin finished drip rails above all patient entry doors and	
	compartments.	Does your bid comply EXACTLY as written?	Yes_VNo
5.5	<u>Door Hinge:</u> Polish existing st	tainless steel door hinge and reinstall or replace as neede	
		Does your bid comply EXACTLY as written?	YesNo
5.6	Weatherstrip: Install new pati	ent entry and compartment door weatherstrip with identic	al OEM type.
		Does your bid comply EXACTLY as written?	Yes_V_No
5.7	Dock bumpers: Install black h	nard rubber dock bumper on the rear step bumper tips:	
		Does your bid comply EXACTLY as written?	Yes_V_No
6.0	MODULE EXTERIOR P	AINT FINISH AND LETTERING	
6.1	Preparation: Prior to any particular hardware, hinges, handles and	aint and bodywork remove all exterior compartment and demergency lighting.	d entry doors, all
		Does your bid comply EXACTLY as written?	Yes/_No
6.2	module for evidence of electro contaminants from module su	to provide the highest quality paint surface preparation, an olysis, <u>complete and total</u> mechanical removal of <u>all</u> paint, rface <u>utilizing a dry stripping system is required.</u> Mechani a use of a glass or plastic media bead blasting system at ap optable.	oils, and cal removal shall
	Vendors shall be required to p this section.	provide <u>photographic proof</u> (before and after photos) of fu	II compliance to
		TIONS OF ANY KIND ALLOWED TO THIS SECTION. IF YOU LEASE DO NOT GO ANY FURTHER. YOU WILL NOT QUAI	
		Does your bid comply EXACTLY as written?	YesNo
6.3		lle will be inspected 100% for evidence of electrolysis. Suc ny further damage and remove visible damage. NO EXCEF	
		Does your bid comply EXACTLY as written?	Yes_V_No

6.4	<u>Damage Repair:</u> All minor body damage will be repaired in an industry standard parties new condition. NO EXCEPTION.	professional manner to
	Does your bid comply EXACTLY as written?	YesNo
6.5	Paint Process: The module body shall be repainted in PPG Deltran Polyurethane	Paint Process. NO
	EXCEPTION.  Does your bid comply EXACTLY as written?	YesNo
6.6	<u>Vinyl Striping:</u> Module and Cab shall be striped in blue & orange vinyl stripe to ma Marshall County EMS fleet. <b>NEW DESIGN MUST BE CONFIRMED PRIOR TO INSTA</b>	ALLATION.
	Does your bid comply EXACTLY as written?	YesNo
6.7	Custom Reflective Lettering: Install custom 3-M reflective scotchlight lettering to	,
	Does your bid comply EXACTLY as written?	Yes_VNo
6.8	Ambulance and Star of Life decals: Install reflective Ambulance and Star of Life of County EMS requirements. One shall be installed on the roof of the modular body number.	along with the unit
	Does your bid comply EXACTLY as written?	YesNo
7.0	ELECTRICAL SYSTEM:	
7.1	Wiring Installation: All new power wiring provided shall be copper and conform to requirements and shall have GXL or SXL high temperature thermoplastic or bette degrees centigrade and conforming to SAE J1127 and J1128	
		,
	Does your bid comply EXACTLY as written?	YesNo
7.2		y troubleshooting.
7.2	Does your bid comply EXACTLY as written?	
7.2	Does your bid comply EXACTLY as written?  Wiring Labeling: All wiring shall be permanently color-coded and labeled for easy	y troubleshooting.  Yes No  No  oms with a rating of 300 ssible, enclosed and omponents. Wiring and e compartment light and it shall be routed in ne with insulated metal ng, snagging, or any sing wiring and conform
	Does your bid comply EXACTLY as written?  Wiring Labeling: All wiring shall be permanently color-coded and labeled for easy Does your bid comply EXACTLY as written?  Wiring Loom: The engine wiring shall be routed in conduit or high temperature lo degrees Fahrenheit. All added wiring shall be in protective loom, located in acce protected locations, and kept at least six inches away from the exhaust system or components shall not terminate in the oxygen storage compartment except for the door switch plunger. Wiring necessarily passing through an oxygen compartment metal conduit. All conduits, looms and wiring shall be secured to the body or fram straps in order to prevent sagging and movement which results in chafing, pinchi other damage. All apertures on the vehicle shall be properly grommeted for pass	y troubleshooting.  Yes No  No  oms with a rating of 300 ssible, enclosed and omponents. Wiring and e compartment light and it shall be routed in ne with insulated metal ng, snagging, or any sing wiring and conform
	Does your bid comply EXACTLY as written?  Wiring Labeling: All wiring shall be permanently color-coded and labeled for easy Does your bid comply EXACTLY as written?  Wiring Loom: The engine wiring shall be routed in conduit or high temperature lo degrees Fahrenheit. All added wiring shall be in protective loom, located in acce protected locations, and kept at least six inches away from the exhaust system of components shall not terminate in the oxygen storage compartment except for the door switch plunger. Wiring necessarily passing through an oxygen compartment metal conduit. All conduits, looms and wiring shall be secured to the body or fram straps in order to prevent sagging and movement which results in chafing, pinchi other damage. All apertures on the vehicle shall be properly grommeted for pass to SAE 1292.	y troubleshooting.  Yes No  oms with a rating of 300 ssible, enclosed and omponents. Wiring and e compartment light and it shall be routed in ne with insulated metal ng, snagging, or any sing wiring and conform
7.3	Does your bid comply EXACTLY as written?  Wiring Labeling: All wiring shall be permanently color-coded and labeled for easy Does your bid comply EXACTLY as written?  Wiring Loom: The engine wiring shall be routed in conduit or high temperature lo degrees Fahrenheit. All added wiring shall be in protective loom, located in acce protected locations, and kept at least six inches away from the exhaust system or components shall not terminate in the oxygen storage compartment except for the door switch plunger. Wiring necessarily passing through an oxygen compartment metal conduit. All conduits, looms and wiring shall be secured to the body or fram straps in order to prevent sagging and movement which results in chafing, pinchi other damage. All apertures on the vehicle shall be properly grommeted for pass to SAE 1292.  Does your bid comply EXACTLY as written?	y troubleshooting.  Yes No  Oms with a rating of 300 ssible, enclosed and omponents. Wiring and e compartment light and it shall be routed in ne with insulated metaling, snagging, or any
7.3	Does your bid comply EXACTLY as written?  Wiring Labeling: All wiring shall be permanently color-coded and labeled for easy Does your bid comply EXACTLY as written?  Wiring Loom: The engine wiring shall be routed in conduit or high temperature lo degrees Fahrenheit. All added wiring shall be in protective loom, located in acce protected locations, and kept at least six inches away from the exhaust system or components shall not terminate in the oxygen storage compartment except for the door switch plunger. Wiring necessarily passing through an oxygen compartment metal conduit. All conduits, looms and wiring shall be secured to the body or fram straps in order to prevent sagging and movement which results in chafing, pinchi other damage. All apertures on the vehicle shall be properly grommeted for pass to SAE 1292.  Does your bid comply EXACTLY as written?  Battery Switch: Install new 275 Amp inpower battery disconnect switch.	y troubleshooting.  Yes No  oms with a rating of 300 ssible, enclosed and omponents. Wiring and e compartment light and it shall be routed in ne with insulated metal ng, snagging, or any sing wiring and conform

7.6	Front Cab Console: Install a pa	added RFP contoured floor mount console to house switch	n panel.
		Does your bid comply EXACTLY as written?	YesNo
7.7	Back up alarm: Install a Preco	97DB OSHA backup alarm in a protected location.	
		Does your bid comply EXACTLY as written?	Yes_VNo
7.8	Spotlight: Install a 200,000 cp	Optronics hand held spotlight.	
		Does your bid comply EXACTLY as written?	Yes_V_No
7.9	Front Switch Panel: Install an ammeter.	RC Tronics front switch panel complete with analog voltm	eter and
		Does your bid comply EXACTLY as written?	YesNo
7.10	Power Distribution System: In low voltage bosch relay switch contractor.	stall a new complete power distribution panel featuring ea hing system should the panel be deemed in need of replac	ement by the
	contractor.	Does your bid comply EXACTLY as written?	YesNo
7.11	<u>Taillights:</u> Install Whelen 600 S All lights shall have chrome be	Series LED Stop/tail, LED Amber arrow turns, and halogen ezels.	
		Does your bid comply EXACTLY as written?	YesNo
7.12	ICC Lights: Install new LED IC	C lights.	
		Does your bid comply EXACTLY as written?	YesNo
7.13	Scene Lights: Install four (4) V	Nhelen 900 Series Optiscene Scene Lights.	
		Does your bid comply EXACTLY as written?	YesNo
7.14	Load Lights: Install two (2) Wh	nelen 900 Series Optiscene Load Lights on rear of module	
		Does your bid comply EXACTLY as written?	YesNo
7.15	<u>Intersection Lights:</u> Provide a flanges.	nd install Whelen 700 Series Red/Clear LED intersection li	ght with chrome
		Does your bid comply EXACTLY as written?	YesNo
7.16	Grille Lights: Provide and inst clear) on polished Cast grill ho	tall four (4) new Whelen 500 Series LED grille lights (2 red busings in grille area.	& 2
		Does your bid comply EXACTLY as written?	YesNo
7.17		new Cast Products, # SH-4020-2, 100-watt siren speakers	mounted in the
	OEM bumper tips.	Does your bid comply EXACTLY as written?	Yes_VNo
7.18.1	Warning Lights: Provide and in (3) white in slight V - pattern.	nstall seven (7) Whelen 900 Series LED warning lights: fou	r (4) red & three
		Does your bid comply EXACTLY as written?	Yes_ / No
7.19		rovide nine (9) Whelen 900 Series LED warning lights (8 re nd five (5) on rear (Red-Amber-Red upper) and two (2) red	
		Does your bid comply EXACTLY as written?	YesNo

7.20	<u>Door Switches:</u> Install all new patient entry and compartment door switches.	,
	Does your bid comply EXACTLY as written?	YesNo
7.21	Fluorescent Lights: Install three (3) 42" fluorescent lights in patient compartment headl	
	Does your bid comply EXACTLY as written?	YesNo
7.22	<u>Dome Lights:</u> Install six (6) Whelen round LED dome lights in headliner.	YesNo
	Does your bid comply EXACTLY as written?	YesNo
7.23	GPS Module: The GPS tracking module under the dash shall be removed from existing under the new unit. Placement should be in location similar to where it was originally removed	l.
	Does your bid comply EXACTLY as written?	YesNo
7.24	<u>Backup Camera:</u> Install a new Hanscom K backup rear view camera system with a 3" m into the rear view mirror.	
	Does your bid comply EXACTLY as written?	YesNo
7.25	Anti-Theft Device: Install new Kussmaul anti-theft device appropriate for Ford E-450 Ch	
	Does your bid comply EXACTLY as written?	YesNo
8.0	EXTERIOR COMPARTMENTS	
8.1	<u>Weather-stripping:</u> Replace all damaged exterior rubber door weather-stripping equivalent seal.	
		/
	Does your bid comply EXACTLY as written?	YesNo
8.2	Does your bid comply EXACTLY as written?  Compartment Door: Compartment doors are to be closely inspected for condition and renecessary.	
8.2 a. b. c. d. e.	Compartment Door: Compartment doors are to be closely inspected for condition and re	
a. b. c. d.	Compartment Door: Compartment doors are to be closely inspected for condition and renecessary.  Checked and trued for alignment and closure All hold opens checked for operation and defective closures replaced Lubricate all door latches and locks for proper operation Replace any defective latches or locks to insure 100% operation	
a. b. c. d.	Compartment Door: Compartment doors are to be closely inspected for condition and renecessary.  Checked and trued for alignment and closure All hold opens checked for operation and defective closures replaced Lubricate all door latches and locks for proper operation Replace any defective latches or locks to insure 100% operation Any damaged windows replaced with like OEM windows from OEM manufacturer	epaired as
a. b. c. d. e.	Compartment Door: Compartment doors are to be closely inspected for condition and renecessary.  Checked and trued for alignment and closure All hold opens checked for operation and defective closures replaced Lubricate all door latches and locks for proper operation Replace any defective latches or locks to insure 100% operation Any damaged windows replaced with like OEM windows from OEM manufacturer  Does your bid comply EXACTLY as written?  Exterior Door Latch and Lock Repair: Replace existing door latches with new Eberhard	epaired as
a. b. c. d. e.	Compartment Door: Compartment doors are to be closely inspected for condition and renecessary.  Checked and trued for alignment and closure All hold opens checked for operation and defective closures replaced Lubricate all door latches and locks for proper operation Replace any defective latches or locks to insure 100% operation Any damaged windows replaced with like OEM windows from OEM manufacturer  Does your bid comply EXACTLY as written?  Exterior Door Latch and Lock Repair: Replace existing door latches with new Eberhard door handles.	YesNo  YesNo YesNo
a. b. c. d. e.	Compartment Door: Compartment doors are to be closely inspected for condition and renecessary.  Checked and trued for alignment and closure All hold opens checked for operation and defective closures replaced Lubricate all door latches and locks for proper operation Replace any defective latches or locks to insure 100% operation Any damaged windows replaced with like OEM windows from OEM manufacturer  Does your bid comply EXACTLY as written?  Exterior Door Latch and Lock Repair: Replace existing door latches with new Eberhard door handles.  Does your bid comply EXACTLY as written?	YesNo  YesNo YesNo
a. b. c. d. e.	Compartment Door: Compartment doors are to be closely inspected for condition and renecessary.  Checked and trued for alignment and closure All hold opens checked for operation and defective closures replaced Lubricate all door latches and locks for proper operation Replace any defective latches or locks to insure 100% operation Any damaged windows replaced with like OEM windows from OEM manufacturer  Does your bid comply EXACTLY as written?  Exterior Door Latch and Lock Repair: Replace existing door latches with new Eberhard door handles.  Does your bid comply EXACTLY as written?  Compartment Floor Treatment: All compartment floors to have black Kendall Dri-Deck.	YesNo  No_Exception.  YesNo No_Exception.

## PATIENT COMPARTMENT CABINETRY AND FIXTURE:

9.1	<u>Cabinetry:</u> Cabinets will be ched including the following items:	cked for sharp edges, defective areas, and professionall	y repaired
a. b. c. d. e. f. g. h.	Check all shelves for security ar Check all seatbelts and replace Replace any damaged or missin Replace any rusty or discolored Provide high quality clean up an	ng bolts to insure stability and strength nd make rattle proof all defective ones ng trim.	
	0	Ooes your bid comply EXACTLY as written?	Yes_V_No
9.2	<u>Subfloor:</u> Sub-floor shall be closwill be repaired or replaced as r	sely_inspected for damage. Subfloor necessary.	4
	0	Ooes your bid comply EXACTLY as written?	YesNo
9.3	Flooring: Inspect and clean exis	sting Lonplate flooring to like new condition.	
	D	Ooes your bid comply EXACTLY as written?	YesNo
9.4	Interior trim: Trim out interior to	new condition.	,
	0	Does your bid comply EXACTLY as written?	YesNo
9.5	Thresholds: Install stainless ste	eel side and rear thresholds to trim out floor at side and r	
	0	Ooes your bid comply EXACTLY as written?	YesNo
9.6	<u>Upholstery:</u> Install new thermal Captains Seat / Attendant Seat.	formed seamless upholstery including seamless therma	
	C	Ooes your bid comply EXACTLY as written?	YesNo
9.7	Cot Mount: Install customer pro	ovided Stryker Powerload System.	YesNo
	C	Does your bid comply EXACTLY as written?	YesNo
9.8	Formica Repair: Replace any da	amaged Formica.	,
	C	Does your bid comply EXACTLY as written?	Yes_V_No
9.9	Safety Net: Inspect Safety net a	at the head of the squad bench and replace as needed.	
	C	Does your bid comply EXACTLY as written?	YesNo
10.0	HEATING AND AIR CON	IDITIONING	
10.1	Heat/Cool Unit: Install new Pro shall be complete with all-new h	Air Super Core Heat/Cool unit with wall mounted thermonoses and fittings.	stat. System
	C	Does your bid comply EXACTLY as written?	Yes/No

10.2	Heat/Cool Testing: System shall be extensively tested for peak performance and readin	gs shall be
	provided to customer.  Does your bid comply EXACTLY as written?	Yes/No
10.3	Power Vent: Shall be tested and repaired or replaced to meet original equipment perform	/
	Does your bid comply EXACTLY as written?	YesNo
11.0	OXYGEN AND VACUUM SYSTEMS	
11.1	Oxygen System: Perform 4-hour nitrogen leak test. Repair any leaks noted and re-test with certification.  Does your bid comply EXACTLY as written?	and tag system YesNo
11.2	Oxygen Outlets: Install all new Ohio outlets and perform leak test and seal as needed.	7
	Does your bid comply EXACTLY as written?	YesNo
11.3	Suction System: Test vacuum lines, outlets for proper operation and repair or replace a	as necessary.
	Does your bid comply EXACTLY as written?	YesNo

# Marshall County EMS BID FORM

NAME OF BIDDER: Select-Tech, Inc
ADDRESS: 250 N. Thompson ST
CITY/STATE/ZIP: Shelbyville, TN 37160
TELEPHONE: 931-684-8964
PERSON TO CONTACT: Steve Feldhaus
We honowith submit and hid as follows:
We herewith submit and bid as follows:
CHASSIS/MAKE:
MODEL/TYPE: 2022 (or newer) E-450 158"WB
AMBULANCE BRAND: MCEMS Supplied
F.O.B. POINT: Shelbyville, TN 37160
DELIVERY-CALENDAR DAYS: 180 days ARD + chaus From Ford
TOTAL PRICE COMPLETE, AS SPECIFIED
TRADE-IN ALLOWANCE FOR TAKE OFF CHASSIS
NET PRICE COMPLETE, AS SPECIFIED
BID IS: AS PER SPECIFICATION, TAKING NO EXCEPTIONS
TAKING ONLY THOSE SPECIFICATION EXCEPTIONS LISTED, ATTACHED AND REFERENCED TO PARAGRAPH NUMBER SPECIFIED
It is agreed by the undersigned bidder that the signature and submission of this bid represents the bidders acceptance of all terms, conditions, and requirements of bid specifications and, if awarded, the bid will represent the agreement between the two parties.
NAME PRINTED: Stephen M. Feldhaus TITLE: President
NAME PRINTED: Stephen M. Feldhaus TITLE: President

## **EXCEPTIONS / CLARIFICATIONS**

Each bidder may copy this form, as necessary to sufficiently list all exceptions and variations from specifications (Please list as shown, by page, item number, and check if vendor chooses not to supply, or is unavailable, or describe deviation or substitution in detail, if furnished). Purchaser will be the sole judge of proposed substitution equivalency.

VENDOR NAME:	Select-	Tech, Inc.	
BIDDING:			
EXCEPTION PAGE:	1	OF	/
SPECIFICATION PAGE:	REFERENCE #	NOT AVAILABLE:	EXPLANATION:
6	1.15	✓	we do not offer



## LIMITED WARRANTY

Select-Tech, Inc. warrants each ambulance remount manufactured by Select-Tech, Inc. for a period of thirty-six (36) months or 36,000 miles from the date of delivery to the original retail purchaser by Select-Tech, Inc. to be free from defects in materials and workmanship under normal use and service. The obligation of Select-Tech under this warranty is limited to repairing or replacing, at its option, any part or parts thereof which shall, within thirty-six (36) months or 36,000 miles after delivery of such ambulance to the original retail purchaser, be returned with transportation charges pre-paid to Select-Tech, Inc., and which examination shall disclose to have been defective, except as hereinafter provided. The following items are excluded by Select-Tech, Inc. warranty.

- · Chassis or items supplied by chassis manufacturer
- · Tires, tire balancing, or wheel alignments
- General tightening, light bulbs or headlamp adjustments
- Separately manufactured items installed by Select-Tech including, but not limited to: batteries, sirens, battery chargers, inverters, lightbars and similar equipment. These are covered by warranties supplied by the manufacturer of the components.
- Normal wear, abuse, accident, negligence or unapproved alteration of original parts.

Should repairs become necessary under the terms of this warranty, the extent of that repair shall be determined solely by Select-Tech, Inc. and shall be performed solely by Select-Tech, Inc. or a repair facility designated by Select-Tech, Inc.. The expense of any transportation to or from such repair facility shall be that of the purchaser and is not an item covered by this warranty.

Select-Tech, Inc. reserves the unrestricted right at any time and from time to time make changes in design of and/or improvements on its products without thereby imposing any obligation on itself to make corresponding changes or improvements in or on its products theretofore manufactured.

EXCLUSIONS AND LIMITATIONS: THIS MANUFACTURER'S WARRANTY IS PROVIDED IN PLACE OF ANY AND ALL OTHER REPRESENTATIONS OF EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO PERSON IS AUTHORIZED TO MAKE ANY REPRESENTATION OR WARRANTY ON BEHALF OF SELECT-TECH, INC. OR ANY OF ITS DISTRIBUTORS OTHER THAN SET FORTH IN THIS MANUFACUTRER'S WARRANTY. YOUR RIGHT TO SERVICE AND REPLACEMENT OF PARTS ON THE TERMS EXPRESSLY SET FORTH HEREIN ARE YOUR EXCLUSIVE REMEDIES AND NEITHER THE MANUFACTURER NOR ANY OF ITS DISTRIBUTORS SHALL BE LIABLE FOR DAMAGES WHETHER ORDINARY, INCIDENTAL OR CONSEQUENTIAL.



## **ELECTRICAL WARRANTY**

Select-Tech, Inc. warrants the integrity of the electrical system on each remounted ambulance manufactured by Select-Tech, Inc. for a period equal to 36 months or 36,000 miles, whichever occurs first, of the vehicle to the original purchaser from the date of delivery to the retail purchaser by Select-Tech, Inc. to be free from defects in materials and workmanship under normal use and service. The obligation of Select-Tech, Inc. under this warranty is limited to repairing or replacing, at its option, any part or parts thereof which shall, after delivery of such ambulance to the original retail purchaser, be returned with transportation charges pre-paid to Select-Tech, Inc., and which examination shall disclose to have been defective.

Items specifically covered are:

- Electrical harnesses and harness installation
- · Printed circuit board
- · Circuit breakers and relays

## Items excluded are:

- Chassis electrical systems and components installed by chassis manufacturer
- Separately manufactured items installed by Select-Tech, Inc. including, but not limited to: batteries, sirens, battery chargers, inverters, lightbars and similar equipment. These are covered by warranties supplied by the manufacturer of the components.
- Periodic tightening and cleaning of connection terminals as this is considered routine maintenance.
- Normal wear, abuse, accident, negligence or unapproved alteration of original parts.

Should repairs become necessary under the terms of this warranty, the extent of that repair shall be determined solely by Select-Tech, Inc. and shall be performed solely by Select-Tech, Inc. or a repair facility designated by Select-Tech, Inc. The expense of any transportation to or from such repair facility shall be that of the purchaser and is not an item covered by this warranty.

Select-Tech, Inc. reserves the unrestricted right at any time and from time to time to make changes in design of and/or improvements on its products without thereby imposing any obligation on itself to make corresponding changes or improvements in or on its products theretofore manufactured.

EXCLUSIONS AND LIMITATIONS: THIS MANUFACTURER'S WARRANTY IS PROVIDED IN PLACE OF ANY AND ALL OTHER REPRESENTATIONS OF EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO PERSON IS AUTHORIZED TO MAKE ANY REPRESENTATION OR WARRANTY ON BEHALF OF SELECT-TECH, INC. OR ANY OF ITS DISTRIBUTORS OTHER THAN SET FORTH IN THIS MANUFACTURER'S WARRANTY. YOUR RIGHT TO SERVICE AND REPLACEMENT OF PARTS ON THE TERMS EXPRESSLY SET FORTH HEREIN ARE YOUR EXCLUSIVE REMEDIES AND NEITHER THE MANUFACTURER NOR ANY OF ITS DISTRIBUTORS SHALL BE LIABLE FOR DAMAGES WHETHER ORDINARY, INCIDENTAL OR CONSEQUENTIAL.

(931) 684-8964 Voice (931) 684-8965 Fax

250 N. Thompson St. Shelbyville, TN 37160

## PAINT WARRANTY

Select-Tech, Inc. warrants each new ambulance finished with PPG Fleet Finishes for a period of three (3) years or 36,000 miles (whichever occurs first) from the date of manufacturer's certification. Backed by superior DELTRON, DELTRON 2000, CONCEPT, DELTA, DURETHANE and related products PPG finishes will guarantee in writing the durability of any paint work performed to PPG standards. The finished areas shall be covered for the following paint failures:

- Peeling or delamination of the topcoat and/or other layers of paint
- Cracking or checking
- Loss of gloss caused by cracking, checking and hazing
- Any paint failure caused by defective PPG Fleet Finishes which are covered by this guarantee

### Exclusions

- Hazing, chalking, or loss of gloss caused by improper care, abrasive polishes, cleaning agents, heavy-duty pressure washing, or aggressive mechanical wash systems
- Paint deterioration caused by abuse, accidents, acid rain, chemical fallout or acts of nature
- Accidents, scratches, chips, bruises, and gloss reduction due to normal vehicle use and maintenance
- Custom finishes, exotic finishes or any other finish than standard refinish procedure
- Failures resulting from product misuse or abuse
- Repairs done to previously refinished areas unless stripped to bare metal or appropriate substrate
- Claims presented without proper guarantee documentation
- Failures on finishes performed by non-PPG Certified Refinish Technicians
- Failures on finishes performed by non-PPG Certified Repair Centers

Should repairs become necessary under the terms of this warranty, the extent of that repair shall be determined solely by Select-Tech, Inc. and shall be performed solely by Select-Tech, Inc. or a repair facility designated by Select-Tech, Inc. The expense of any transportation to or from such repair facility shall be that of the purchaser and is not an item covered by this warranty.

Select-Tech, Inc. reserves the unrestricted right at any time and from time to time to make changes in design of and/or improvements on its products without thereby imposing any obligation on itself to make corresponding changes or improvements in or on its products theretofore manufactured.

## Electrolysis:

Electrolysis is caused by two or more dissimilar metals reacting against each other causing paint to lift and blister. The emergency vehicle industry has battled this problem for many years. Your new Select-Tech, Inc. remount comes standard with a protective coating of ECK applied between all handles, hinges, lights and hardware attachment points. This protective coating is designed to reduce and control the natural occurring process of galvanic corrosion (electrolysis). Should you remove any of the components where ECK has been applied they must be recoated prior to re-installation.

Since galvanic corrosion is a naturally occurring process and not a preparation or paint application problem it is not covered under the Select-Tech, Inc. Paint Warranty. Select-Tech, Inc. will, however, at its discretion offer some expense relief on a per call basis if this should occur. General guidelines are as follows:

- Up to 12 Months/12,000 Miles 100% Coverage
- Up to 24 Months/24,000 Miles 50% Coverage
- Up to 36 Months/36,000 Miles 25% Coverage











## CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 09/30/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

ti	nis certificate does not confer rights to	the c	ertifi	cate holder in lieu of such							
PRODUCER						CONTACT Bethany Bannister					
HB	Cowan and Company				PHONE (A/C, No	e, Ext): (931) 6	84-3323		FAX (A/C, No):	(931) 6	84-0907
710 N. Brittain Street					E-MAIL ADDRESS: bbannister@hbcowan.com						
P.O. Box 109										NAIC#	
Shelbyville TN 37162					INSURERA: Cincinnati Insurance				10677		
INSURED				Oinsign at County				28665			
Select Tech INC				INSURER B.							
	250 N Thompson St				INSURE						
	200 N Thompson of				INSURE						
	Chathaudta			TN 27400 4040	INSURE					-	
	Shelbyville			TN 37160-4049	INSURE	RF:					
_		_	-	NUMBER: CL212302850				REVISION NUM			
C	HIS IS TO CERTIFY THAT THE POLICIES OF IDICATED. NOTWITHSTANDING ANY REQUI ERTIFICATE MAY BE ISSUED OR MAY PERTI XCLUSIONS AND CONDITIONS OF SUCH PO	REME AIN, TI	NT, TE	ERM OR CONDITION OF ANY SURANCE AFFORDED BY THE	CONTRA	ACT OR OTHER	DOCUMENT IN DIEREIN IS S	WITH RESPECT TO	WHICH T		
INSR	TYPE OF INSURANCE		SUBR	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMIT	s	
LIK	COMMERCIAL GENERAL LIABILITY	INSD	WVD	, out nomen		(AIMIDDITTT)	(MINICOLLETT)	EACH OCCURRENC		s 1,00	0,000
	CLAIMS-MADE OCCUR							DAMAGE TO RENTE PREMISES (Ea occu	ED	s 100,	
								MED EXP (Any one p	person)	\$ 5,00	
Α				EPP 0061080		01/24/2021	01/24/2022	PERSONAL & ADV II	NJURY	\$ 1,00	0,000
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREG	ATE.	\$ 3,00	0,000
	X POLICY PRO- JECT LOC							PRODUCTS - COMP	P/OP AGG	\$ 3,00	0,000
	OTHER:							Add'I for policy n	ninimum	s	
	AUTOMOBILE LIABILITY							©OMBINED SINGLE (Ea accident)	LIMIT	\$ 1,00	0,000
	ANYAUTO							BODILY INJURY (Per	r person)	\$	
Α	OWNED SCHEDULED			EPP 0061080		01/24/2021	01/24/2022	BODILY INJURY (Per	r accident)	\$	
	AUTOS ONLY HIRED AUTOS NON-OWNED							PROPERTY DAMAG		s	
	AUTOS ONLY AUTOS ONLY							(Per accident)  Medical paymen	ts	\$ 5,00	0
-	UMBRELLA LIAB OCCUP										
	EVERGLIAR							EACH OCCURRENC	Æ	\$	
	CLAIMS-MADE	-	1					AGGREGATE		\$	
_	DED RETENTION \$ WORKERS COMPENSATION	-						PER	I OTH-	\$	
	AND EMPLOYERS' LIABILITY Y/N							STATUTE	OTH- ER	100	200
В	ANY PROPRIETOR/PARTNER/EXECUTIVE Y	N/A		EWC 0307901		01/24/2021	01/24/2022	E.L. EACH ACCIDEN	(T	s 100,	
	(Mandatory in NH) If yes, describe under							E.L. DISEASE - EA E	MPLOYEE	\$ 100,	
	DESCRIPTION OF OPERATIONS below							E.L. DISEASE - POL	ICY LIMIT	\$ 500,	000
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	ES (AC	ORD 1	01, Additional Remarks Schedule,	may be a	ttached if more sp	pace is required)				
	TIPIO ATE UOI DEP				0.5.11						
CEI	RTIFICATE HOLDER	-	-		CANC	ELLATION					
	Marshall County Ambulance Se	rvice			THE	EXPIRATION D	DATE THEREO	SCRIBED POLICIE F, NOTICE WILL BE Y PROVISIONS.			BEFORE
	505 George McClain Drive					RIZED REPRESE	NTATIVE				
tura ese	Benton KY 42025				Bur Mose						



#### STATE OF TENNESSEE DEPARTMENT OF COMMERCE AND INSURANCE



SELECT-TECH, INC.
ID NUMBER: 7028
LIC STATUS: ACTIVE
EXPIRATION DATE: June 30, 2023
TENNESSEE MOTOR VEHICLE COMMISSION
MOTOR VEHICLE MANUFACTURER/DISTRIBUTOR

2441

THIS IS TO CERTIFY THAT ALL REQUIREMENTS OF THE STATE OF TENNESSEE HAVE BEEN MET

SELECT-TECH, INC. 250 THOMPSON STREET SHELBYVILLE, TN 37160

# State of Tennessee

2412560771

TENNESSEE MOTOR VEHICLE COMMISSION
MOTOR VEHICLE MANUFACTURER/DISTRIBUTOR
SELECT-TECH, INC.
250 THOMPSON STREET
SHELBYVILLE, TN 37160

This is to certify that all requirements of the State of Tennessee have been met.

ID NUMBER: 7028 LIC STATUS: ACTIVE EXPIRATION DATE: June 30, 2023



IN-1313
DEPARTMENT OF
COMMERCE AND INSURANCE

250 N. Thompson St. (931) 684-8964 Voice

Shelbyville, TN 37160 (931) 684-8965 Fax

A remount and repair facility established in 1995, Select-Tech, Inc. is owned and operated by myself, Steve Feldhaus. I have over 35 years experience in the ambulance manufacturing, repair, and remount field. I worked in the ambulance manufacturing business beginning as a production worker in 1978. That experience led me to every aspect of the manufacturing process from carpentry to metal fabrication to electrical systems. I decided in 1995 to establish my own company where I could offer customer service and customer values like no other company I'd seen. With a Mechanical Engineering degree from Tennessee Technological University, I feel that I have a unique opportunity to operate my business down a very efficient and knowledgeable avenue.

The following is a list of recent customers. This list is not an elite group of customers with whom I deal, but rather all the recent customers we've dealt with. I would encourage you to call these customers, all of them, and find out from a third party what my company is all about. I'm sure you'll find that not every one of them had a 100% trouble free experience with their new ambulance remounts. (My company doesn't claim to be a perfect one, just a fair one.) What I do bet you will find is that 100% of them had their problems corrected in a fair and guick manner.

Athens-Limestone EMS (AL) Jeff Williams 256-233-9150

Bedford Co. EMS (TN) Ted Cox, Director 931-684-4403

Bracken Co EMS (KY) Brent Jaynes, Director 606-735-3783

Bradley Co EMS (TN) Shawn Fairbanks, Director 423-728-7010

Brown EMS (KY) Shane Bussell 859-234-1515

Butler Co EMS (KY) Brian McKinney, Director 270-526-2713

Cannon Co. EMS (TN) Justin Harris, Director 615-563-5959

Cheatham Co. EMS (TN) BJ Hudspeth, Director 615-792-4324

Com-Care Inc. (Logan/Ohio Co KY) John Holder, CEO 270-799-7254

Fentress Co. EMS (TN) Steve Bradfield, Director 931-879-3319 Giles Co. EMS (TN) Roy Griggs, Director 931-363-8505

Hickman Co. EMS (TN) Allen Livengood, Director 931-729-3004

Jackson-Madison Co EMS (TN) David Williams 731-660-5267

Lincoln Co. EMS (TN) Richard Wright, Director 931-438-7434

Marion Co. EMS (KY) Robbie Turner, Director 270-692-6666

Marshall Co. EMS (KY) Bryan Cutsinger, Director 270-527-1243

Marshall Co. EMS (TN) John Reese, Director 931-359-6394

Medical Center Bowling Green (KY) Al Thacker, Maintenance Supervisor 270-542-9415

Memorial Hospital EMS (TN) Paul Feaster 423-495-8545

Mercer Co. EMS (KY) Paul Parks, Director 859-734-4486 Montgomery Co. EMS (TN) Chris Proctor, Asst. Director 931-320-1624

Muhlenberg Co EMS (KY) Troy Walker, Director 270-338-1233

Nicholas Co. EMS (KY) Nelson Sewell 859-473-2023

Overton Co. EMS (TN) Jim Morgan, Director 931-823-6402

Putnam Co. EMS (TN) Danny Heady, Asst. Director 931-528-1555

Rutherford Co. EMS (TN) Brian Gaither 615-429-0626

Stewart Co. EMS (TN) Greg Barrow, Director 931-232-3093

Sullivan Co. EMS (TN) Jim Perry, Director 423-323-6471

White Co. EMS (GA) Shane Shockley 770-869-9783

White Co. EMS (TN) Mike Kerr, Director 931-836-2899

Sincerely,

Stephen M. Feldhaus

President